



2015 U.S. Pricing (USD) Zetron Price Book

Effective August 15, 2015
Printed July 16, 2015

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Table of contents

2000 Series Paging Terminal Upgrade.....	3
2000 Series Paging Terminals.....	7
ACOM EVO - Advanced Communications System.....	8
COMPANION Products.....	9
Control Room Furniture.....	11
Customer Fulfillment Technical Support.....	14
DEADBOLT Lightning Surge Arrestor.....	15
IP Fire Station Alerting System.....	16
Logging Recorders.....	17
M6300 RoIP GATEWAY.....	22
MAX Call Taking.....	23
Max Dispatch - Pro.....	24
Max Dispatch - Standard	25
MAX Management Information System.....	26
MAX Solutions CAD and Mapping.....	27
Model 15 Multi-Format Encoder.....	30
Model 1516 Sentrivoice.....	31
Model 1517 Sentrivoice+.....	32
Model 1550 Sentrimax.....	33
Model 18/18+ Control Link.....	34
Model 25 Programmable Encoder.....	35
Model 250 Tone Remote Adapter.....	36
Model 251 - DC Remote Base Station Adapter.....	37
Model 26 - Fire Station Alerting System.....	38
Model 284 Multi-line Tone Remote.....	39
Model 30 Worldpatch.....	40

Model 3022 Instant Recall Recorder.....	41
Model 3030 PSAP TDD.....	42
Model 360 Kenwood-Compatible Radio Remote.....	43
Model 37-MAX Repeater Pal.....	44
Model 390 Tetra Remote.....	45
Model 4010/4010R Radio Dispatch Console.....	46
Model 45B Z-Patch.....	49
Model 48-MAX Interconnected Repeater Panel.....	50
Model 55B Page Buffer.....	51
Model 55D Digital Repeater.....	52
Model 600/620 High Speed Simulcast Paging System.....	53
Model 61 Network Access Paging Encoder.....	55
Model 64 DAPT-Plus Dial Access Paging Terminal.....	56
Model 640X DAPT XTRA.....	57
Model 66 Transmitter Controller.....	58
Model 735 Radio Teleconnect.....	59
Model 807, Model 827, Model 844 & Model 427.....	60
Pathway.....	62
SCADA System.....	63
Security Systems.....	65
Series 3000 Monitor Speaker.....	66
Series 3300/3200 - IP E9-1-1 Telephone System.....	67
Series 4000 Communications Control Systems.....	68

This price sheet should be used whenever additional features or upgrades are to be installed in 2000 Series Paging Terminals already in the field. Many features and options have a "System Requirements" section. This is intended to indicate to the sales person what hardware and software must be installed in the system for the feature to work correctly with an existing system. If these hardware and software requirements are not met, the customer must purchase those additional items needed. Note that when purchasing these additional items, there may be additional system requirements for those additional items. All these requirements must be met before a system can be guaranteed to work when it reaches the customer site.

NOTE: All ' * ' items need to have a ZBASE update ordered.

EXPANSION CHASSIS ADDITIONS		
Part Number	Description	List
950-9235	220/240VAC 50/60Hz Operation for Model 2200, M2200EX factory install	N/C
950-9087	48VDC Operation for Model 2200 only, factory install (Exchange)	4075

SUBSCRIBER EXPANSION OPTIONS														
Part Number	Description	List												
X01-M2200	* Expansion by 1000 Subscribers	855												
X50-M2200	* Expansion by 5000 Subscribers (Model 2200 only) <i>System Requirements:</i> - Model 2100 is limited to 3,000 subscribers. Model 2200 is limited to 50,000 subscribers. To go above 20,000 subscribers customer must first buy to even 5K increment with -X01. Only legal values are: 2K, 3K, 4K ... 19K, 20K, 25K, 30K, 35K ... 50K. - If using DOS Zbase, must be upgraded to current. - If more than 10,000 subscribers system needs High Performance CPU - If more than 20,000 subscribers need ZPAGE 310H9 or better - If more than 20,000 subscribers need to insure disk cluster size is 8Kbytes. The 850 and 1.2 Mbyte disks are OK. For other disk sizes, check with P&MS for utility to check this. - Need to order ZBASE update - Need to insure disk space is sufficient for larger subscriber file. Have customer execute df (disk free) command at + prompt in Zlink. Make sure sufficient space is available according to the table below: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th># Subscribers</th> <th>File Size (Total)</th> </tr> </thead> <tbody> <tr> <td>1000-5000</td> <td>2.1MB</td> </tr> <tr> <td>6000-10,000</td> <td>4.3MB</td> </tr> <tr> <td>11,000-15,000</td> <td>7.8MB</td> </tr> <tr> <td>16,000-20,000</td> <td>10.3MB</td> </tr> <tr> <td>21,000-50,000</td> <td>19.3MB</td> </tr> </tbody> </table>	# Subscribers	File Size (Total)	1000-5000	2.1MB	6000-10,000	4.3MB	11,000-15,000	7.8MB	16,000-20,000	10.3MB	21,000-50,000	19.3MB	2560
# Subscribers	File Size (Total)													
1000-5000	2.1MB													
6000-10,000	4.3MB													
11,000-15,000	7.8MB													
16,000-20,000	10.3MB													
21,000-50,000	19.3MB													

CPU UPGRADES		
1) May need upgrade to latest version of ZPAGE and/or ZbaseW.		
2) Hard Disk configuration at the factory is included with purchase. If field configuration is required due to a lack of remote access prior to shipment, charge using X88-M2200.		
Part Number	Description	List
950-9816	Memory Expansion Card (M2100) <i>System Requirements:</i> - Must have ZPAGE version 310K1 or above - Must BIOS 3.01 or greater - Need one free system slot	300
950-9118	Logging Printer Port (Model 2100 only) <i>System Requirements:</i> - Not available for older Faraday CPUs	585
950-0259	Logging Printer Port (Model 2200 only)	585
950-9656	Spare Standard Z-CPU for Model 2100 - Need ZPAGE version 310 or better	2475

Zetron Price Book
 * indicates a limited discount item
 ** indicates a non-discountable item
 All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

CPU UPGRADES

950-0688	Spare High Performance CPU for Model 2200 <i>- For customers with an existing Microbus CPU who need a replacement. - If the customer has a different HPCPU, they should purchase 905-0424 as it requires a hard drive reconfiguration.</i>	6835
905-0424	Spares Kit for Model 2200 <i>Includes High Performance CPU, SATA Hard Disk Drive, Maintenance Modem, 200W Main Power Supply and 48V Telco Power Supply.</i>	6985
905-0136	Spares Kit for Model 2100 <i>Includes Standard Z-CPU, System Hard Disk Card, BIOS Memory Card, Maintenance Modem, 80W Main Power Supply and 48V Telco Power Supply.</i>	4940

SYSTEM SOFTWARE UPGRADES

Part Number	Description	List
950-0288	ZPAGE Upgrade to latest K Series (High Performance ZCPU) <i>Be sure to inform customers this will require a scheduled installation. System Requirements: - All issues for upgrade to latest K series (standard CPU) - Need ROM-DOS 5.0 - Need ZBASE 310 or better - If using 1200 Baud Maintenance Modem must upgrade to new</i>	1155

ZBASE UPGRADES

All ZbaseW Subscriber Database upgrades have multi-user access, and are purchased on a Per System ID basis. If you are running redundant paging terminals and they were purchased on different System IDs, please contact Zetron Technical Support for assistance.

Part Number	Description	List
950-0925	ZbaseW Subscriber Database <i>Use this PN when upgrading from Zbase DOS version to ZbaseW.</i>	2640
950-0926	ZbaseW Subscriber Database with Serial/Ethernet Adapter <i>Use this PN when upgrading from Zbase DOS version to ZbaseW.</i>	2900
950-0972	Serial /Ethernet Adapter for S2000 ZbaseW Subscriber Database	670
950-1056	ZbaseW Subscriber Database Upgrade to latest version (for existing ZbaseW owners) <i>(for existing Zbase W owners)</i>	335

HARD DISK UPGRADES

1) Hard Disk configuration at the factory is included with purchase. If field configuration is required due to a lack of remote access prior to shipment, charge using X88-M2200.

2) Recommend voice file transfer service to preserve voice prompts

3) When upgrading the Hard Drive, specify the existing PageSaver memory amount:

6 hour = 950-9404, 12 hour = 950-9332, 24 hour = 950-9333, 48 hour = 950-9336, 72 hour = 950-9445. This is required for proper hard drive partitioning.

Part Number	Description	List
950-9618	Spare System Hard Disk for Model 2100 <i>Be sure to inform customer this will require a scheduled installation. System Requirements: -Need ZPAGE 310H or better -If using ZCPU then need BIOS 3.01 -If using old PCM cards then need to upgrade to ADPCM cards</i>	1525
950-0258	Spare System Hard Disk for Model 2200 (SCSI only) <i>-Need ZPAGE 310K0 or better -Need High Performance CPU -Need ADPCM Voice Controller</i>	1525
950-1177	SATA RAID Hard Drive Field Upgrade Kit (M2200 Only) <i>System Requirements: -Need M2200 with Microbus High Performance CPU, The SATA RAID is not Compatible with other HPCPU</i>	5940
950-1178	Spare SATA Hard Disk for M2200 (Raid or Standard)	1680

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

HARD DISK UPGRADES

950-0629	Spare RAID Hard Drive (M2200 SCSI only) <i>System Requirements:</i> <i>-Need M2200 with RAID Hard Drive Assembly</i> <i>-For systems that included or added the SCSI RAID bundle or options; 905-0198, 950-0627, or 950-0628.</i>	1680
X88-M2200	Configuration File Edit	840

REDUNDANT SYSTEM CONTROLLER UPGRADES

Part Number	Description	List
901-9197	Line Transfer Panel for Standby System Controller (6 Maximum) <i>System Requirements:</i> <i>-Available on Model 2200 and 2200EX only.</i>	1215

ANALOG TELEPHONE INTERFACES AND OPTIONS

System Requirements:
If upgrading above 20 trunks then need High Performance CPU
If upgrading above 38 trunks then need ZPAGE 310K or better

Part Number	Description	List
950-9822	Dual Telephone Interface Card, 2-Wire.Supports 2 Lines. <i>Remember to ask which options the customer wants installed on the card.</i> <i>System Requirements:</i> <i>-Need additional chassis slot</i>	3805
950-0290	Dual Telephone Interface Card, E&M 4-Wire. Supports 2 Lines. <i>Remember to ask which options the customer wants installed on the card.</i> <i>System Requirements:</i> <i>-Need additional chassis slot</i> <i>-If using an old backplane, customer will have to use RJ11's to pin out. RJ 25's on backplane don't have all signals. On M2100 RJ11 is always used.</i>	Call for Availability
950-0292	Dual Multifrequency (MFR2) Decoder Option <i>(for 950-9822 or 702-9318)</i> <i>Be aware that if this terminal is going into a country which Zetron has not shipped to previously, there will be a \$1200 charge for engineering to create a new dialing plan for that country.</i> <i>System Requirements:</i> <i>-This cannot co-exist with alarm receiver because it uses the same slot</i> <i>-Need Dual Telco Rev D or better</i> <i>-Need large RAM if Rev M or below</i> <i>-Must have Alpha Modems</i> <i>-Make sure software number on U15 is 601-0375</i> <i>-Line type on trunks cannot be End-End</i>	Call for Availability
950-9108	* Dual Alphanumeric Messaging Input Modem Option <i>System Requirements:</i> <i>-If upgrading existing dual telco card Rev C or E.1 then cards must be reworked to handle 5V modems. Cards were designed for 12V modems. Rework can be done by customer or by Zetron.</i> <i>-Need to order ZBASE update if customer doesn't already have alpha modems</i>	955

RADIO INTERFACES AND OPTIONS

Part Number	Description	List
950-9781	Radio Station Control Card w/Full-Addressing PURC Emulation <i>System Requirements:</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty station card slot in chassis</i>	4190

SPARE OR REPLACEMENT VOICE CONTROLLER AND VOICE PROMPT OPTIONS

Part Number	Description	List
950-0385	ITU Voice Controller with 14 Voice Channels (1 Maximum 2100, 2 Maximum 2200)	3420

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

SPARE OR REPLACEMENT VOICE CONTROLLER AND VOICE PROMPT OPTIONS

950-9069	System Voice Prompts (Requires Voice Controller) <i>System Requirements:</i> <i>-Must have a voice card installed</i> <i>-Need to order ZBASE update</i> <i>1Purchase of replacement hard drive suggested to avoid down time.</i>	2290
950-9127	* Subscriber Recorded Voice Prompts (Requires System Prompts) <i>System Requirements:</i> <i>-Must have a voice card installed</i> <i>-Must have 40MB hard disk or better</i> <i>-Must have ZPAGE 310 or better</i> <i>-Need to order ZBASE update</i> <i>-Purchase of replacement hard drive suggested to avoid down time.</i>	3420

OTHER INTERFACES AND INTERFACE SOFTWARE

Part Number	Description	List
950-9196	MultiPort Serial Interface for TAP Applications. 2 Port Active <i>(Supports TAP inbound - 2 ports standard, expandable to 8 ports)</i> <i>System Requirements:</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty slot in chassis</i>	2855
950-9346	TNPP Network Interface. 4-Wire, Full Handshake, 2 Ports Active <i>System Requirements:</i> <i>-Maximum one per system</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty slot in chassis</i> <i>-Need to order ZBASE update if networking is not already installed - Line 18</i>	4190
950-9428	Outdial TAP Interface. Includes Auto-dial Modem. 1 Port only. <i>System Requirements:</i> <i>-Maximum one per system</i> <i>-Need ZPAGE version 310H or better</i> <i>-Need empty slot in chassis</i> <i>-Need to order ZBASE update if networking is not already installed</i>	3420
950-9197	Dual Port Expansion for TAP Input or TNPP Cards <i>(3 maximum - 8 ports total per card)</i>	1155

POWER SUPPLY UPGRADES

Part Number	Description	List
950-9782	Spare Power Supply, 200W for Model 2200	955
950-0356	M2200 200W Power Supply with Retrofit Kit <i>May be required for any M2200 shipped before or during year 2000. Contact Zetron Technical Support for assistance.</i>	1270

INSTALLATION AND SUPPORT OPTIONS

Part Number	Description	List
950-9040	Protection Kit. Protection Modules Installed for 10 lines	775
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
802-0093-1	Punchdown Block, 50 Pin, Connectorized	80*
709-0004	25-Pair Cables, RJ-21, M-F, 10ft [Baseline Product]	65
950-9785	Spare Maintenance Modem	585

USER MANUALS (ADDITIONAL COPIES)

Part Number	Description	List
025-9075	Schematics and Diagrams Manual	50
025-9035	Installation and Maintenance Manual	50
025-9034	Operating and Programming Manual	50
025-9231	Standby System Control Manual	50

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Model 2100 and 2200 Paging Terminals are available in a choice of subscriber capacities, voice storage features, telephone interfaces, radio interfaces, and voice options. A complete system consists of a Terminal, the chosen Interface cards, and a Subscriber Management system. Specific systems may require additional options; consult items below. The Model 2100 and 2200 Paging Terminals are available in a choice of subscriber capacities, voice storage features, telephone interfaces, radio interfaces, and voice options. A complete system consists of a Terminal, the chosen Interface cards, and a Subscriber Management system. Specific systems may require additional options; consult items below.

Product Category: Miscellaneous

ACOM EVO - Advanced Communications System

Price Sheet 001-0272 Rev. J

ACOM EVO represents the next generation in mission critical dispatch solutions. The ACOM EVO Console System offers the reliability, feature capabilities, intuitive operation, and flexible configuration. Acom EVO supports communications across a wide spectrum of radio and telephone equipment and other communications devices. These devices include Project 25 (TIA CSSI, DFSI, and AFSI), TaitNet P25, CORP25, OpenSky®, iDEN®, TETRA, DMR, NEXEDGE®, SMARTNET®, SmartZone®, TaitNet MPT, ISDN, and Session Initiated Protocol (SIP) telephony as well as numerous legacy systems.

Allowing telephone and radio communications to run on one platform eliminates the need for multiple systems. Diversity of interfacing means all resources are accessible no matter what technology communications systems are being used.

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

These companion products are third-party items offered for sale by Zetron to provide more complete solutions. Note that these products are not covered by Zetron's warranty, rather they are covered by the manufacturer's warranty. ALL SALES OF COMPANION PRODUCTS ARE FINAL. They may be returned only in the case of a Zetron error.

COMPUTERS

Unless otherwise noted, PC products sold by Zetron are manufactured by Dell and include on-site warranty repair. When purchased with Zetron's system level products, Zetron software is pre-installed and tested on the PC prior to shipment.

Part Number	Description	List
950-1279	Windows Workstation PC	1715*

COMPUTER PC CARDS

Part Number	Description	List
802-5301	4-Port Video Card (PCI bus)	605*
802-5307	4-Port Video Card (PCI Express)	605*
802-5304	2-Port (DUAL DVI or VGA) PCI Express Video Card, 128 MB	290*
802-0334	RS-232 Serial Port Card, 1 port (PCI Bus)	40*
802-0435	RS-232 Serial Card, 2 ports (PCI bus)	65*
802-5016	RS-232 Serial Card, 1 port (PCI Express)	65*
802-0256	RS-232 Serial Card, 2 ports (PCI Express)	65*
802-5002	Sound Card (PCI bus)	65*
802-5035	Sound Card (PCI Express)	65*
802-9701	Sound Card (USB-attached)	65*

COMPUTER LCD MONITORS

Monitors with speakers do not necessarily provide volume controls for the speakers. Those that do, do not provide an individual volume control for the left and right speakers. Touchscreen monitors require a USB port connection to the PC. Single-touch monitors are preferred over multi-touch monitors for Zetron systems.

Part Number	Description	List
802-0383	19" Anti-Glare Black LCD Monitor	285*
802-2311	23" Widescreen LCD Monitor	270*
950-1270	Single-Touch Standard LCD Monitor <i>Touchscreen by ELO; 19" SAW type</i>	1310*
950-1271	Single-Touch Widescreen LCD Monitor <i>Touchscreen by TechGlobal; 22" Capacitive type</i>	1875*

COMPUTER PERIPHERALS

Part Number	Description	List
950-9447	Three-Button Trackball	85*
950-9436	Compact PC Keyboard w/ Large AT DIN Connector	150*
802-0427	Numeric USB Keypad (24 keys)	170*
802-5006	IRR Multi-media Desktop PC Speakers	30*
802-0331	8-port Ethernet Switch, Unmanaged	60*
950-1281	24 Port Managed Gigabit Rack Mount Switch	2060*

UNINTERRUPTIBLE POWER SUPPLIES (UPSs)

Part Number	Description	List
802-0329	1425 VA Desktop UPS	340*
802-0330	2250 VA Rack Mount UPS	2035*

HEADSETS/HANDSETS

Unless otherwise noted, the following are dual-prong, unamplified devices without AGC and require a Jackbox or TRHI. 6-wire devices are

HEADSETS/HANDSETS

equipped with PTT. Headsets are over-the-ear, headband styles with quick disconnects. All devices are manufactured by Plantronics.

Part Number	Description	List
950-0454	Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries) <i>Plantronics CA12CD improved belt-mounted PTT pack has secure battery retention and accepts Plantronics H-Series headset tops. Comes with a spare battery.</i>	755*
416-0047	Spare Wireless Headset Battery <i>For older style Plantronics CA10 model.</i>	35*
950-0033	Headset 4-Wire, Noise Cancelling	225*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling	300*
802-0114	Headset Top	80*
802-0115	Headset Top, Noise Cancelling	105*
802-0671	Handset, w/PTT, 9' coiled cord, RoHS compliant	145*
802-0672	Handset, w/PTT, 9' coiled cord	105*
802-0673	Handset, 6-Wire w/PTT, 15' coiled cord	105*
802-0607	USB Stereo Headset	55*

CONSOLE POSITION COMPONENTS

Part Number	Description	List
905-0330	Desktop Microphone, Shure With 6' cable	630
950-9102	Footswitch, Single w/ 10' cable	115
950-1077	Dual Prong Headset Jackbox Option; Dual Volume Control	755
950-1082	Dual Prong Headset Jackbox Option; Single Volume Control	605
950-9439	Telephone/Radio Headset Interface (TRHI) (for all models)	965
950-9674	Headset interface box (disables handset)	165
950-0884	Speakers Single (cable separate)	510
950-1198	19" 2U Rackmount Speaker Panel - 2 Speakers	865
709-0170-10	10 ft Shielded Cat 5e Cable for Speakers	15*
395-0080	Accessory Manuals	25
025-9589	Desktop Microphone Manual	50
025-9632	Headset Jackbox manual	50
025-9553	TRHI Manual	50
025-9585	Amplified 5W Speaker manual	50

RACKS & CABINETS

Rackmount PCs and UPSs require 4-post installation in 29" or deeper cabinets

Part Number	Description	List
950-0083	19" W x 77" (44U) H x 23" D Rack Cabinet w/ locking doors	2330*
802-0370	Rackmount, 12-outlet, 120 V Power Strip	80*
810-0142	19" Rack 2U Shelf	80*
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
950-9351	Connectorized Punch Down Block	80*
950-9962	Protected CO Punch Down Block	305*
709-0004	25-Pair Cables, RJ-21, M-F, 10ft [Baseline Product]	65

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Zetron's line of control room and console furniture brings new modularity and affordability to a product family that is recognized for durability, quality, and ANSI conformity. Designed for easy re-configuration and ease of assembly, the furniture is designed to facilitate carton shipping. For pricing and configuration information, contact Zetron Sales.

Furniture Work Surfaces and Monitor Mount Configuration

Part Number	Description	List
400-1500	Single Surface, Three Monitor Capable	8142
400-1501	Single Surface, Four Monitor Capable	8832
400-1502	Single Surface, Six Monitor Capable	9831
400-1503	Dual Surface, Three Monitor Capable	9324
400-1504	Dual Surface, Four Monitor Capable	10206
400-1505	Dual Surface, Six Monitor Capable	10455
400-1528	Two Tier Surface With Two Rack Mounts	1251
400-1529	Two Tier Surface With Three Rack Mounts	1362
400-1530	Two Tier Surface With Four Rack Mounts	1473
400-1570	Separate Keyboard Support with Tilt	909

Monitor Mounts

Part Number	Description	List
400-1553	3 Monitor Mount, Fixed	378
400-1554	4 Monitor Mount, Fixed	441
400-1555	6 Monitor Mount, Fixed	1749
400-1556	2 Over 4 Monitor Mount, Fixed	1854
400-1557	4 Over 4 Monitor Mount, Fixed	2100
400-1558	Adjustable Vesa Mount	111
400-1559	8" Fixed Arc Extension	318
400-1560	12" Fixed Arc Extension	354
400-1561	Touch Screen Mount, Adjustable	399
400-1562	Focal Link Adjustable Arc Mount	1086
400-1579	ARC Extensions (Pair)	282
400-1580	Fixed 8" Extension	318
400-1581	Fixed 12" Extension	354
400-1582	Adjustable Extension	1017
400-1583	20" Post (PR)	120
400-1584	30" Post (PR)	147
400-1588	36" Post (PR)	189
400-1585	Flange Mount (PR)	111
400-1586	Heavy Duty Mount (PR)	177
400-1587	One Screen, Two Arms, One Adjustable Mount	396

Side Extension Work Surfaces

Part Number	Description	List
400-1511	18" - 36" Wide Pull Out Shelf	189
400-1514	18" Wide Extension Surface	1632
400-1515	24" Wide Extension Surface	1713
400-1516	30" Wide Extension Surface	1785
400-1517	36" Wide Extension Surface	1926

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Side Extension Work Surfaces

400-1518	42" Wide Extension Surface	2007
400-1519	48" Wide Extension Surface	2100
400-1520	54" Wide Extension Surface	2391
400-1521	60" Wide Extension Surface	2439
400-1522	36" Wide X 60" Long Peninsula With Round Leg	2607

Cabinets, Drawers and Storage

Part Number	Description	List
400-1506	24" Wide Upright Cabinet	1941
400-1507	30" Wide Floor Mount Cabinet	1716
400-1508	30" Wide Upright Cabinet	2145
400-1509	36" Wide Floor Mount Cabinet	1815
400-1510	36" Wide Upright Cabinet	2325
400-1537	36 Diameter Rotating Resource File W / Top	1683
400-1538	36 Diameter Rotating Resource File W / Out Top	1344
400-1539	28" High X 15" Wide Drawer Pedestal; Box, Box, File Mobile	861
400-1540	28" High X 15" Wide Drawer Pedestal; 2 File, Mobile	861
400-1541	28" High X 30 " Wide Lateral File; 2 Level	1585
400-1542	14" Deep X 30" Wide Overhead Panel Mount Storage Cabinet	633
400-1543	14" Deep X 36" Wide Overhead Panel Mount Storage Cabinet	681
400-1544	14" Deep X 42" Wide Overhead Panel Mount Storage Cabinet	720
400-1550	5.25 X 19 Vertical Extension	318
400-1551	10.5 X 19 Vertical Extension	375
400-1552	5.25 X 19 Recessed Turret	588
400-1548	5.25 X 19 Sloped Front Desktop Turret, 18 Deep	459
400-1549	10.5 X 19 Sloped Front Desktop Turret, 18" Deep	489

Acoustic Paneling

Part Number	Description	List
400-1523	45" High X 18" Wide Acoustic Panel	855
400-1524	45" High X 24" Wide Acoustic Panel	891
400-1525	45" High X 30" Wide Acoustic Panel	930
400-1526	45" High X 36" Wide Acoustic Panel	1035
400-1527	45" High X 42" Wide Acoustic Panel	1071
400-1534	45" High Full End Trim	72
400-1535	45" High 90 Degree Corner Post	135
400-1536	45" High 135 Degree Corner Post	111

Integrated Power Strips

Part Number	Description	List
400-1545	Ac Strip, 6 Outlet, 6' Cord	141
400-1546	Ac Strip, 6 Outlet, Cb 15' Cord	147
400-1547	Ac Strip, 8 Outlets, Suppressor	138

Lighting, Fans and Environmental Controls

Part Number	Description	List
400-1531	Indirect Lighting, Two Rack Mounts	468
400-1532	Indirect Lighting, Three Rack Mounts	537
400-1533	Indirect Lighting, Four Rack Mounts	609

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Lighting, Fans and Environmental Controls

400-1563	Desk Top Fan, Adjustable Cfm, Filtered	660
400-1564	Floor Mount, Forced Air Heater. 450/900 Watts	711
400-1565	Inline Thermostat	126
400-1566	Footrest Option	69
400-1567	Led Task Light, 30" Two Section Arm	393
400-1568	Led Task Light Arc Mount Bracket	63
400-1569	Led Task Light Clamp Mount	64
400-1512	Led Maintenance Light	175
400-1513	Add Second Fan To Fan Tray	72

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Prices are in US Dollars All subcontractor-provided onsite technical support must be dispatched through Zetron Technical Support and in some cases, approved by the end-user. Listed prices are established in approved Service Management Plans or Subcontractor Agreements. Technical Services maintains this consolidated list of prices based on any new or revised plan or agreement.

Zetron Telephone Technical Support

Once minimum charges have accumulated as noted, telephone technical support is chargeable in 30 minute increments.

Part Number	Description	List
X94-284	ACOM Technical Support Incident	185**
X96-284	ACOM After Hours Support	235**

Onsite Subcontractor Technical Support

Once minimum charges have accumulated, subcontractor technical support is chargeable in 30 minute increments.

Part Number	Description	List
-------------	-------------	------

Prices are subject to change without notice.

Product Category: Baseline Products

DEADBOLT Lightning Surge Arrestor

Price Sheet 001-0017 Rev. J

The DeadBolt is a reusable telephone line protector that provides secondary protection from abnormal electrical surges on telephone lines and helps reduce line-related RF interference.

Part Number	Description	List
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: M26 Fire Station Alerting

IP Fire Station Alerting System

Price Sheet 001-0246 Rev. Y

Zetron's IP Fire Station Alerting (IP FSA) system is ideal for any municipality that has IP network links between its central communications center and its fire stations. Using IP to send control commands between the central site and the fire station increases the alerting speed and broadens connectivity options. Voice announcements can be configured for VoIP or radio transmission. Existing Model 6/26 dispatch systems can be upgraded to IP FSA.

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Eventide NexLog NG911 ready logging systems capture, store, protect, reproduce, and manage important interactions and critical data. NexLog logging systems help you securely document and retrieve incidents, comply with regulations, and improve your facility's operations. Eventide NexLog communications logging systems offer outstanding flexibility and ease of use, with a choice of advanced capability remote software or convenient touch-screen front panel operation. Call records are stored in a state-of-the-art SQL relational database and compatibility with your existing Windows infrastructure.

NexLog Base Systems

Part Number	Description	List
683-0300	NexLog 740 w 1 year warranty <i>NexLog 740 base system: 3U rack-mount, Intel Core2 Quad CPU, Dual NIC, Embedded Linux, NexLog base software, web-based configuration manager, and 1st year warranty.</i>	8400
683-0301	NexLog 840 w 1 year warranty <i>Note: NexLog 840 base system: 4U rack-mount, Intel Core2 Quad CPU, Dual NIC, Dual hot-swap 120/240 VAC PSUs, Embedded Linux, NexLog base software, web-based configuration manager, and 1st year warranty.</i>	16800

NexLog 740 Front Panel Choices

Part Number	Description	List
683-0302	Integrated 7" Color LCD Touch Screen Display	1360
683-0303	Front Panel without display (use external peripherals)	N/C

NexLog 840 Front Panel Choices

Part Number	Description	List
683-0304	Integrated 7" Color LCD Touch Screen Display	1360
683-0305	Front Panel without display (use external peripherals)	N/C

NexLog 740 Storage Array Choices

Part Number	Description	List
683-0306	2 x 1TB fixed-mount s/w-RAID1 = 1TB storage (standard)	N/C
683-0307	Upgrade to 2 x 2TB fixed-mount s/w-RAID-1 = 2TB storage	1050
683-0308	Upgrade to 2 x 1TB Hot Swap h/w-RAID1 = 1TB storage	1680
683-0309	Upgrade to 2 x 2TB Hot Swap h/w-RAID1 = 2TB storage	2730
683-0310	Upgrade to 4 x 1TB Hot Swap h/w-RAID5 = 3TB storage	3030
683-0311	Upgrade to 4 x 2TB Hot Swap h/w-RAID5 = 6TB storage	5030
683-0313	Upgrade to 4 x 2TB Hot Swap h/w-RAID1+0 = 4TB storage	5030
683-0312	Upgrade to 4 x 1TB Hot Swap h/w-RAID1+0 = 2TB storage	3030
683-0314	QLogic FC Card (to customer's SAN - no HDD in logger)	Call for Quote
683-0433	Upgrade to 2 x 4TB Hot Swap h/w-RAID1 = 4TB storage	4400
683-0434	Upgrade to 4 x 4TB Hot Swap h/w-RAID1+0 = 8TB storage	6500
683-0435	Upgrade to 4 x 4TB Hot Swap h/w-RAID5 = 12TB storage	6500

NexLog 840 Storage Array Choices

Part Number	Description	List
683-0315	2 x 1TB fixed-mount s/w-RAID1 = 1TB storage (standard)	N/C
683-0316	Upgrade to 2 x 2TB fixed-mount s/w-RAID1 = 2TB storage	1050
683-0317	Upgrade to 2 x 1TB Hot Swap h/w-RAID1 = 1TB storage	1680
683-0318	Upgrade to 2 x 2TB Hot Swap h/w-RAID1 = 2TB storage	2730
683-0319	Upgrade to 4 x 1TB Hot Swap h/w-RAID5 = 3TB storage	3030
683-0320	Upgrade to 4 x 2TB Hot Swap h/w-RAID5 = 6TB storage	5030
683-0321	Upgrade to 4 x 1TB Hot Swap h/w-RAID1+0 = 2TB storage	3030
683-0322	Upgrade to 4 x 2TB Hot Swap h/w-RAID1+0 = 4TB storage	5030

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

NexLog 840 Storage Array Choices

683-0314	QLogic FC Card (to customer's SAN - no HDD in logger)	Call for Quote
683-0436	Upgrade to 2 x 4TB Hot Swap h/w-RAID1 = 4TB storage	4400
683-0437	Upgrade to 4 x 4TB Hot Swap h/w-RAID1+0 = 8TB storage	6500
683-0438	Upgrade to 4 x 4TB Hot Swap h/w-RAID5 = 12TB storage	6500

NexLog 740 Archive Drive Choices

Part Number	Description	List
683-0324	Equip with one Multi-Drive for DVD-RAM (standard)	N/C
683-0325	Equip with two Multi-Drives for DVD-RAM	310
683-0326	One 500GB Removable HDD + One Multi-Drive for DVD-RAM	660
683-0327	One 500GB Removable HDD + Two Multi-Drives for DVD-RAM	960
683-0439	Equip with 1 Blu-Ray Drive (Archive to Blu-Ray or DVD-RAM)	410
683-0440	Equip with 2 Blu-Ray Drives (Archive to Blu-Ray or DVD-RAM)	820

NexLog 840 Archive Drive Choices

Part Number	Description	List
683-0328	Equip with one Multi-Drive for DVD-RAM (standard)	N/C
683-0329	Equip with two Multi-Drives for DVD-RAM	310
683-0330	One 500GB Removable HDD + One Multi-Drive for DVD-RAM	660
683-0331	One 500GB Removable HDD + Two Multi-Drives for DVD-RAM	960
683-0332	Two 500GB Removable HDDs + One Multi-Drive for DVD-RAM	1310
683-0441	Equip with 1 Blu-Ray Drive (Archive to Blu-Ray or DVD-RAM)	410
683-0442	Equip with 2 Blu-Ray Drives (Archive to Blu-Ray or DVD-RAM)	820

Central Archive and Network Archive Choices

Part Number	Description	List
683-0334	Central Archive License (for archive to another NexLog)	1760

Network Archive License Choices (1 is included with NexLog base system)

Part Number	Description	List
683-0335	Network Archive License (1 is included with NexLog base system)	270

NexLog 740 Power Supply Choices

Part Number	Description	List
683-0336	Dual hot-swap power supplies, 120/240VAC (standard)	N/C
683-0337	Upgrade one power supply to -48VDC hot-swap	800
683-0338	Upgrade both power supplies to -48VDC hot-swap	1600

NexLog 740 Rack-mount Slide Choices

Part Number	Description	List
683-0339	Rack Mount Slides - 4 Post, 3U (for NexLog 740)	380
683-0340	Rack Mount Slides - 2 Post Center Mt., 3U (for NexLog 740)	480

NexLog 840 Rack-mount Slides

Part Number	Description	List
683-0341	Rack Mount Slides - 4 Post, 4U (for NexLog 840)	380
683-0342	Rack Mount Slides - 2 Post Center Mt. 4U (for NexLog 840)	570

Network Attached Storage (NAS) Choice

Part Number	Description	List
683-0443	TeraStation Rackmount NAS: 4 x 1TB RAID5 (3TB Storage)	5520
683-0444	TeraStation Rackmount NAS: 4 x 2TB RAID5 (6TB Storage)	7300

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Network Access Software Choices

Part Number	Description	List
683-0343	MediaWorks Replay (Windows Client) License Pack For 8 PC Access	1050
683-0344	MediaAgent Instant Recall (Windows Client) License For 8 PC Access	1050
683-0345	Starter Pack: 4 MediaWorks + 4 MediaAgent (Windows Clients) Licenses	1050
683-0346	MediaWorks PLUS (Browser Based): Concurrent Access for 8 Users	1050
683-0445	MediaWorks PLUS with French (text from Google Translate)	1570
683-0446	MediaWorks PLUS with Spanish (text from Google Translate)	1570
683-0447	MediaWorks PLUS with Other-Language (via Google Translate)	Call for Quote

Geographic Search & Display Choices

Part Number	Description	List
683-0448	Geo Search/View (Requires Lat/Lon, MW PLUS, Google Maps)	1050
683-0449	Custom Integration to other Map Sources (Special Quotation)	Call for Quote

Label Printer and Modem choices

Part Number	Description	List
683-0347	Label Printer for DVD-RAM (MediaWorks req'd)	350

USB Modem

Part Number	Description	List
683-0348	External USB Modem For Remote Diagnostics	170

Recording, Network, GPIO, and Time Synchronization Card Choices

Part Number	Description	List
683-0349	8-Channel Analog Card, 8 Ch. Licenses	2840
683-0350	16-Channel Analog Card, 16 Ch. Licenses	4200
683-0351	24-Channel Analog Card, 24 Ch. Licenses	6300
683-0352	8-Channel Digital PBX Station Card, 8 Ch. Lic.	4570
683-0353	16-Channel Digital PBX Station Card, 16 Ch. Lic.	7300
683-0354	24-Channel Digital PBX Station Card, 24 Ch. Lic.	10020
683-0355	24-Channel T1/PRI Passive Tap Card, 24 Ch. Lic.	9680
683-0356	48-Channel T1/PRI Passive Tap Card, 48 Ch. Lic.	13610
683-0359	Single-port 100/GB PCI Network Card	200
683-0360	24 port GPIO PCI Card/Cable Kit (non-isolated; 12 inputs)	840
683-0361	IRIG B(1) Time Synchronization Universal PCI Card (max. 1 per system)	2620
683-0450	24-Ch. T1 Terminating (Dual-Port Card w/1 Port Enabled)	10910
683-0451	48-Ch. T1 Terminating (Dual-Port Card w/2 Ports Enabled)	13610
683-0452	30-Ch. E1 Terminating (Dual-Port Card w/1 Port Enabled)	10910
683-0453	60-Ch. E1 Terminating (Dual-Port Card w/2 Ports Enabled)	13610
683-0454	Enable 2nd T1 Port on Dual-Port T1 Terminating Card	2700
683-0455	Enable 2nd E1 Port on Dual-Port E1 Terminating Card	2700

MDC1200 Decoding Option

Part Number	Description	List
683-0362	MDC 1200 Radio ID License (Per Analog Card)	1890

VoIP/RoIP/NG911 Internal Recorder

Part Number	Description	List
683-0366	Internal IP Recorder w/ 8 G.711 Ch. Licenses	4470
683-0367	Add-on License Pack (Internal IP Recorder) with 8 Channel Licenses for G.711	1210
683-0368	Add-on License Pack (Internal IP Recorder) to upgrade 8 Licenses of G.711 to G.729	770

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Next Generation 911 (and Pre-NG911) System-level Licenses

Part Number	Description	List
683-0369	System License: NG911 SIP-Invite Recording	1050
683-0370	System License: NG911 Logging Web Service	4200
683-0456	NG911 SIPREC Lic. (was SIP-Invite); Requires IP Channels	2100
683-0457	911 SIP Trunk (Non-i3) Rec. License (Requires IP Channels)	2100

Screen Recording Choices

Part Number	Description	List
683-0371	Screen Recording for 5 PCs (Requires MediaWorks PLUS)	2630
683-0372	Screen Recording for 10 PCs (Requires MediaWorks PLUS)	3150
683-0373	Screen Recording for 15 PCs (Requires MediaWorks PLUS)	3680
683-0374	Screen Recording for 20 PCs (Requires MediaWorks PLUS)	4200
683-0375	Screen Recording for 25 PCs (Requires MediaWorks PLUS)	4730
683-0376	Screen Recording expansion license for 5 PCs	530

Quality Factor Call Evaluation Software Choices

Part Number	Description	List
683-0377	Quality Factor: 20 Agents (Requires MediaWorks PLUS)	1570
683-0378	Quality Factor: 40 Agents (Requires MediaWorks PLUS)	3140
683-0379	Quality Factor: 60 Agents (Requires MediaWorks PLUS)	4710
683-0380	Quality Factor: 80 Agents (Requires MediaWorks PLUS)	6280
683-0381	Quality Factor: 100 Agents (Requires MediaWorks PLUS)	6800
683-0382	Quality Factor option: add-on for 20 Agents	1570

Eventide API Access License Choices

Part Number	Description	List
683-0458	NexLog API Access License: Control and Tagging	3670
683-0459	NexLog API Access License: Replay and Live Monitoring	3670

Integration License Choices

Part Number	Description	List
683-0383	NENA ANI/ALI CAD Spill Integration or SMDR	3670
683-0384	Metadata Integration for MAX Dispatch, RoIP, and Other Systems	3670
683-0385	EF Johnson P25 Metadata Integration	3670
683-0386	Non-Standard Metadata Integration License	Call for Quote
683-0387	DTMF Selective Recording Metadata License	1760
683-0460	Tait DMR Tier 3 and MPT-IP Metadata Integration	3670
683-0461	ED137B-Part4 IP-based ATC License (Requires IP Channels)	3670

Trunked Radio Integration (check with Eventide prior to quoting these options)

Part Number	Description	List
683-0388	Integration to P25 system via Archive Info Server (AIS)	9450
683-0389	Mandatory AIS/SDK license fee: Initial ASTRO 25 Syst. Release (Non-Discount; must be pre-paid)	4100**
683-0390	License Fee: MCC7500 SDK for subsequent ASTRO 25 System Release (Req'd for AIS Integration; Per end-customer; non discountable; pre-payment required)	Call for Quote**
683-0462	Mandatory Remote Install Prep for ASTRO 25/AIS; (Non-Discount)	3680**
683-0463	Optional On-Site Assistance for ASTRO 25/AIS; USA; 2 days (Non-Discount)	4100**

P25 DVSI Playback Decoder

Part Number	Description	List
683-0391	4-Concurrent Decoder Unit for P25, NXDN, DMR, and others	10500

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Cables and Quick-Install Kits

Part Number	Description	List
683-0392	9 ft. Connector Cable for Analog or Digital PBX card	100
683-0393	23 ft. Connector Cable for Analog or Digital PBX card	140
683-0394	Quick Install Kit (9ft. Connector Cable & Punch Block)	240
683-0395	Quick Install Kit (23ft Connector Cable & Punch Block)	320

Supplies

Part Number	Description	List
683-0396	4.7GB Single-Sided bare DVD-RAM disk in Jewel Case (each)	30
683-0397	9.4GB Double-Side DVD-RAM inside removable Type 4 cartridge (each)	40
683-0398	Removable 500GB USB Hard Disk for Archive	660
683-0399	Smart Label Printer Refill (Box of 2)	20
683-0464	Blu-Ray Quantum OQBDRE02LT Re-Writable Single-Side (25GB) Discs - Pack of 10	60

Extended Limited Warranty

Part Number	Description	List
X61-1349	Extended Limited Warranty per year for Years 2 to 5 (4% of System List Price)	4% of SLP
X61-5349	Extended Limited Warranty for Coverage through Year 5 (14% of List Price)	14% of SLP

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Zetron's RoIP Gateway allows legacy Tone Remote Control (TRC) or E&M wireline control equipment to operate over modern IP networks. It is suitable for use with all Zetron consoles for remoting radios from the console system over Ethernet IP. The RoIP Gateway can also be used with many other manufacturer's TRC/E&M wireline control equipment, as well as many non-radio, specialty voice applications (e.g. hoot-n-holler and intercom lines). By connecting radios at both ends, it can also be used to bridge two geographically diverse radio systems together. The RoIP Gateway transports 4-wire audio, COR/PTT, RS-232 serial data and one generic binary I/O signal over an IP network.

The Model 6304 IP Console Gateway is specially designed for connecting a remote console position (Integrator RD, 4018 or 4118) to a Series 4000 system over an IP network.

NOTE: IP networks must meet the network requirements found on the RoIP Gateway spec sheet (005-1400). Reliable transport of in-band tone signaling requires that audio compression not be used and requires that the IP network have no packet loss. Also, IP network latency may have an adverse affect on serial data protocols used by certain radios. Certain serial data-controlled radios may not support direct RS-232 connection and therefore may require additional serial data conversion devices.

GATEWAYS

DC power cabling kit supplied. Order AC power converter option separately. Includes CD with manual. Gateways work in pairs; order 2 per remote console or radio.

Part Number	Description	List
905-0357	Model 6301 RoIP Gateway, Single Channel	1320
905-0358	Model 6302 RoIP Gateway, Dual Channel	2060
905-0458	Model 6304 IP Console Gateway Bundle <i>Includes 2 gateways and cabling. Works with Integrator RD, 4018 and 4118 consoles connected to a Series 4000 system.</i>	4765

Gateway Options

Part Number	Description	List
950-1244	Dual-channel Upgrade Kit (6301 to 6302)	1005
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	110
950-0589	Single Unit Rack Mount Option <i>1U x 19" single unit rack adapter</i>	115
950-0588	Dual Unit Rack Mount Option <i>1U x 19" dual unit rack adapter</i>	160

Documentation

Part Number	Description	List
025-9631	Model 6300 IP Gateway Manual	50
025-9677	Model 6304 IP Console Gateway Manual	50

MAX Call-Taking is an end-to-end IP, Next-Generation 9-1-1 telecommunications system. MAX Call-Taking offers a full range of features and functionality that are important to 9-1-1 centers. It also employs the latest standards-based IP protocols and IT best practices to offer the highest levels of scalability, usability, adaptability, and availability. It's cutting edge user interface complies with NENA 54-750 human machine interface standards. The low power server core reduces heat and cost while maximizing reliability. Automatic Call Recovery further enhances MAX Call-Taking's robust architecture.

MAX Dispatch Pro is an end-to-end IP based telecommunications console system designed for mission-critical dispatch applications. Because MAX Dispatch employs the latest, standards-based IP protocols and IT best practices, it offers the highest levels of interoperability, scalability, and usability. This product is packaged to meet the needs of medium to larger sized systems that utilize an extensive console feature set. The optional features offered on the MAX Dispatch Standard are now included in the workstation bundle with the Pro version.

MAX Dispatch Standard is an end-to-end IP based telecommunications console system. Because MAX Dispatch employs the latest, standards-based IP protocols and IT best practices, it offers the highest levels of interoperability, scalability, and usability. This product is packaged to meet the needs of smaller sized systems that may only need a handful of advanced console features. MAX Dispatch Standard packages 1 console position and 10 radio channels together in a non-redundant configuration. Up to 2 additional positions (for a total of 3) may be added as well as up to 10 additional radio channels (for a total of 20). Software features sets may be added to each console position as necessary. If redundancy is required, that may be added on to the system.

MAX Management Information System (MIS powered by ECaTS) is a Public Safety Intelligence and analytics-reporting platform developed exclusively for the 911 industry. It harnesses the power of cloud computing to obtain real-time statistics from a single or multiple PSAPS. Canned and custom reports are available through an intuitive interface, providing reports and comparative analysis with minimal effort.

Part Number	Description	List
X72-0103	Setup and installation of Remote Data Distribution Module (RDDM) for MAX MIS (One-time charge) <i>One-time charge required for hardware and deployment. Required per site if geographically separated (not in the same building). Required for replacements if the replacement requires a full reconfiguration.</i>	1500**
683-0500	Remote Data Distribution Module (RDDM) for MAX MIS <i>One-time charge required for hardware and deployment. Required per site if geographically separated (not in the same building). Required for replacements if the replacement requires a full reconfiguration.</i>	2770**
X72-0102	84 Month MAX MIS Subscription <i>* \$383 per month.</i>	32172**
X72-0104	60 Month MAX MIS Subscription <i>* \$403 per month.</i>	24180**
X72-0101	36 Month MAX MIS Subscription <i>* \$450 per month.</i>	16200**
X72-0100	12 Month MAX MIS Subscription <i>* \$507 per month.</i>	6084**
X72-0106	1 Month MAX MIS Subscription <i>* \$520 per month.</i>	520**

* 12 months is the minimum subscription available. 84 months is the maximum subscription available. Any combination of subscription orders cannot exceed 84 months. Multiple year options (that offer lower prices per month) are for upfront prepaid services

MAX CAD, MAX Mobile CAD, MAX Mapping and MAX Stand-Alone ALI (SALI) are limited discount, third party applications that include hardware and software product codes. MAX CAD is a NG911 ready CAD that offers a user friendly UI for improved dispatch efficiency and accuracy. MAX Mobile CAD is a real time communication tool that gives mobile users access to detailed maps, GPS location, NCIC queries and incident details. MAX Mapping is a mapping viewer that runs both as a stand-alone application or integrated with a CAD. MAX Stand-Alone ALI (SALI) is vendor neutral and interfaces with any CAD or phone controller, the Zetron SALI manages all ALI databases while providing accurate and up-to-date information.

MAX SOLUTIONS CAD SOFTWARE

Part Number	Description	List
683-0238	MAX Software - CAD Server Software <i>CAD SQL database server</i>	16070
683-0229	MAX Software - CAD Administrator's Station <i>CAD administration only, no CAD entry function</i>	5320
683-0231	MAX Software - Combined CAD Administrators and Dispatch Position	12845
683-0234	MAX Software - CAD Workstation Client	10695
683-0239	MAX Software - NCIC query module for CAD Server	11850
683-0237	MAX Software - NCIC query only module for CAD Client	1250
683-0202	MAX Software - Mobile Server System - Server Software (Includes AVL, CAD, and MAP) <i>Manages external GIS and AVL data to mobile CAD</i>	8545
683-0235	MAX Software - In-vehicle Mobile CAD Client	1495
683-0236	MAX Software - Mobile CAD - NCIC Query	250
683-0240	MAX Software - Data Manager Database Comparison Client <i>Compares External databases with internal agency databases</i>	4785
683-0267	MAX Software - Proxy Host Maintenance & Support Software	40
683-0275	CAD - RMS Server Interface	2995
683-0276	CAD - SOP Protocol Application Server Interface	2995
683-0278	CAD - SOP Protocol Interface Client	530

MAX SOLUTIONS GIS AND AVL SOFTWARE

Part Number	Description	List
683-0200	MAX Software - GIS Viewer <i>Workstation map viewer</i>	2635
683-0201	MAX Software - GIS Data Publisher <i>Updates GIS server and workstations with new GIS files</i>	1250
683-0242	MAX Software - GIS Map Editor <i>Creates and editis GIS files</i>	5860
683-0245	MAX Software - Mobile GIS Mapmaker <i>Required Map Editor</i>	3170
683-0233	MAX Software - ALI Transfer <i>Allows GIS viewer to track to ALI location on map without CAD</i>	495
683-0203	MAX Software - AVL Upgrade for Dispatch GIS Viewer (Requires Dispatch GIS Viewer) <i>Applies AVL to Map Viewer</i>	530
683-0232	MAX Software - Vehicle Monitoring System Stand Alone Client for AVL <i>Runs GIS and AVL on separate workstation</i>	1875
683-0202	MAX Software - Mobile Server System - Server Software (Includes AVL, CAD, and MAP) <i>Manages external GIS and AVL data to mobile CAD</i>	8545
683-0243	MAX Software - Field Viewer w/ GPS Software <i>Viewer client for mobile GIS</i>	1605

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

MAX SOLUTIONS GIS AND AVL SOFTWARE

683-0241	MAX Software - Data Transfer Application for Remote PC <i>Application to display ALI location on Map Viewer from Existing GPS systems in car</i>	75
683-0267	MAX Software - Proxy Host Maintenance & Support Software	40
683-0277	AVL Data Location Interface for GIS/AVL Server	2995

MAX SOLUTIONS STAND-ALONE ALI SOFTWARE

Part Number	Description	List
683-0230	MAX Software - Stand alone ANI/ALI System <i>Internally maintained ANI/ALI database</i>	7950
683-0240	MAX Software - Data Manager Database Comparison Client <i>Compares External databases with internal agency databases</i>	4785

MAX SOLUTIONS HARDWARE

Part Number	Description	List
683-0246	CAD Workstation	1680**
683-0252	Ruggedized Mobile CAD Tablet PC <i>Tablet PC for Mobile CAD</i>	2870**
683-0253	Ruggedized Industrial Notebook PC for Mobile GIS Mapmaker <i>Designed to meet Military Standard 810G</i>	1870**
683-0254	Ruggedized Mobile Workstation for Mapmaker <i>Designed to meet Military Standard 810G</i>	2100**
683-0263	SALI Tower Server	3940**
683-0219	CAD and GIS Small Form Factor Tower Server	5425**
683-0264	CAD and GIS Rack Server <i>Quad-Core Intel® Xeon™ Processor, 8GB memory; 3 Yr. parts, labor, & on-site services std. NBD warranty. MS Windows Server 2008 Standard Edition +5 CALS, RAID 5 Controller, 5 - HP 146GB Hot Pluggable 2.5 SAS 10,000 rpm</i>	6610**
683-0221	CAD SQL Server	2410**
683-0262	Microsoft 5 User Client License Pack for Windows Server	170**
683-0223	23-Inch Widescreen LCD Monitor	220**
683-0222	17-Inch LCD Flat Panel Monitor for Rack	195**
683-0249	GPS Receiver for Mobile Mapmaker	80**
683-0250	USB Keyboard and Mouse Bundle	40**
683-0251	Docking Station for Mobile Mapmaker Notebook and Mobile Mapmaker Workstation	280**
683-0255	21.5-inch High Performance Widescreen 1920x1080 LCD Monitor	340**
683-0256	LCD Speaker Bar	40**
683-0257	LaserJet double sided B&W network printer	960**
683-0258	LaserJet B&W network printer	765**
X72-0063	HP Care Pack 5 year, 4 hour 24x7, ProLiant ML350 - electronic	1890**
X72-0064	HP Care Pack 5 year, Next Business Day, ProLiant ML350	640**
X72-0065	HP - 9x5 next business day onsite - 5 yrs, workstation only	270**
X72-0066	HP - 9x5 next business day onsite - 5 yrs, workstation	310**
X72-0067	9x5 Next Business Day On-Site Coverage, 3 years	110**
X72-0068	HP - 5yr Next Business Day Onsite Notebook Hardware Support only	420**
X72-0069	HP Care Pack 5 year, 4 hour 24x7 on-site response, workstation only	580**
X72-0070	HP Care Pack 5 year, 4 hour 24x7 on-site response, workstation	610**

MAX SOLUTIONS NETWORK HARDWARE

Part Number	Description	List
683-0259	Tripp Lite NetController - 4 Port USB/PS2 KVM switch B042-004	320**
683-0260	Rack Mount 15 Amp surge and spike protection power distribution unit	110**

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

MAX SOLUTIONS NETWORK HARDWARE

683-0261	Four Post Rack Cabinet, U2 Shelf Tray, Wiring Manager	1580**
683-0220	RS-232 and PCI-Express Card	55**
683-0224	NETGEAR 8-port Fast Ethernet Switch	80**
683-0247	CAD fax modem	170**
683-0248	SonicWall Comprehensive Gateway Security Suite	920**
683-0274	SonicWall TZ 215	1020*
683-0265	NETGEAR 16-port Ethernet Switch 10/100/1000 Base-T	240**
683-0268	NETGEAR ProSafe 24-port Ethernet Switch 10/100/1000 Base-T	360**
683-0269	Tripp-Lite SmartPro 1500RM2U UPS rack mount for CAD Server	640**
683-0270	Tripp-Lite SmartPro UPS 2200RMXL2U VA for CAD Server	980**
683-0271	Tripp-Lite SmartPro UPS 3000RM2U VA for Server - Input Connection NEMA L5-30P	1090**
683-0272	Tripp-Lite SmartPro 3000NET Tower UPS for Server - Input Connection NEMA L5-30P	1050**
683-0273	Tripp-Lite Smart UPS 1500XL for Workstation	570**
683-0225	CAD and GIS Network Supplies	335**

MAX SOLUTIONS INSTALLATION AND ON-SITE SERVICE

Part Number	Description	List
X71-0022	CAD and Mapping On-Site Installation - Travel Day	1450**
X71-0020	CAD and Mapping On-Site Installation - First Day	1450**
X71-0021	CAD and Mapping On-Site Installation - Additional Day	1450**
X72-0079	Remote and Factory CAD and GIS Installation, Data Development and Maintenance - Daily Rate	1450**

MAX SOLUTIONS TRAINING

Part Number	Description	List
X71-0073	CAD and Mapping On-Site Training - Travel Day	1450**
X71-0071	CAD and Mapping On-Site Training - First Day	1450**
X71-0072	CAD and Mapping On-Site Training - Additional Day	1450**

MAX SOLUTIONS SERVICES AND GIS DATA DEVELOPMENT

Part Number	Description	List
X72-0076	CAD and Mapping Technical Services and Data Development - Travel Day	1450**
X72-0074	CAD and Mapping Technical Services and Data Development - First Day	1450**
X72-0075	CAD and Mapping Technical Services and Data Development - Additional Day	1450**
X72-0077	GIS Map Data Conversion	4000**
X72-0079	Remote and Factory CAD and GIS Installation, Data Development and Maintenance - Daily Rate	1450**

MAX SOLUTIONS COMPREHENSIVE MAINTENANCE PROGRAM

Part Number	Description	List
Contact Factory for Quote		
X72-0078	Annual CAD and GIS Software Maintenance Agreement <i>18% of Software List Price for a 12 month period. Initial purchase must be a minimum of 12 months.</i>	Factory Quote*

MAX SOLUTIONS OFF-SITE DATA BACKUP

Part Number	Description	List
X72-0055	Software - Collocation of data application	540
X72-0056	CMP Annual cost - Collocation of data client	95*
X72-0057	Deployment - Disaster Recovery System	1425**
X72-0058	Collocation of Data Monthly Fee with a One Year Agreement up to 1GB of data transferred per month	200**
X72-0059	Collocation of Data Monthly Fee with a Two Year Agreement up to 1GB of data transferred per month	185**

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Model 15 Multi-Format Encoder may be configured for most common paging formats, including tone and digital formats, plus nonstandard tone formats including Plectron, Federal, or other customer specified tones. Powered by 12 VDC, or wall transformer (optional).

Part Number	Description	List
905-0141	Model 15 Multi-Format Encoder, desktop. • Analog Formats: Two-tone, 5/6-tone, DTMF, 2805Hz, HSC, Reach, 1500Hz, alert tones • Digital Formats: NEC, POCSAG, Golay, Metro Pageboy • Field-programmable custom (Plectron) tones, stacks, Morse ID • RS-232 Port for paging from a computer	1025
709-7235	Programming Cable	50
815-9028	220 VAC 50 Hz Wall Transformer	55*
815-9033	115 VAC 60 Hz Wall Transformer	40
025-9235	Additional User Manual	50

The Model 1516 SentriVoice monitors 8 alarm inputs and optionally transmits voice messages, tone and alphanumeric pages, or alert tones over the user supplied radio or PA. CE Approved. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9334	Model 1516 SentriVoice Page and Voice Alarming via Radio (Standard Firmware Included, Voice Storage not included)	885
950-0283	Standard Firmware	230
950-9390	Remote Control Relay (Factory Install, Limit of 2)	39
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
815-9015	115 VAC 60Hz Wall Transformer	40
815-9027	220 VAC 50Hz Wall Transformer	55
950-9523	Motorola Radius® Radio Cable	95
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply <i>* See Note Below</i>	1690
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply <i>* See Note Below</i>	2235
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply <i>* See Note Below</i>	1525

OPTIONS

Part Number	Description	List
950-9386	Paging Format, two-tone (Motorola, GE®) <i>Note: Only one paging format can be installed.</i>	230
950-9387	Paging Format, two-tone (Plectron) (replaces standard two-tone paging) <i>Note: Only one paging format can be installed.</i>	230
950-9391	Paging Format, POCSAG Alphanumeric (512 or 1200 baud) <i>Note: Only one paging format can be installed.</i>	305
950-9392	Paging Format, 5/6 tone (replaces standard two-tone paging) <i>Note: Only one paging format can be installed.</i>	305
950-9388	Voice Option - 10 seconds of voice storage (limit of 2)	70
950-9389	Extended Voice Option - additional 40 seconds of voice storage (limit of 2)	220
025-9302	Additional User Manual	50
950-0960	Radio Interface Kit, M1516 to Kenwood TK-x180	160

* NOTE: Model 1516 not included

The Model 1517 SentiVoice+™, housed in a NEMA 4X case with battery/charger/power supply, monitors 8 alarm inputs and automatically transmits voice messages, voice, tone, or alphanumeric pages or alert tones over the user supplied radio or PA.

Part Number	Description	List
901-9383	Model 1517 SentiVoice+ <i>With 40 seconds voice storage, NEMA 4X case, power supply, charger, 7Ah battery, two-tone paging</i>	2285
950-9390	Remote Control Relay (Factory Install, Limit of 2)	39
950-9387	Paging Format, two-tone (Plectron) (replaces standard two-tone paging)	230
950-9391	Paging Format, POCSAG Alphanumeric (512 or 1200 baud) <i>(replaces standard two-tone paging)</i>	305
950-9392	Paging Format, 5/6 tone (replaces standard two-tone paging)	305
950-9389	Extended Voice Option - additional 40 seconds of voice storage (limit of 2)	220
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
950-9497	12Ah Battery (upgrade replacement for standard 7Ah battery)	85
950-9523	Motorola Radius® Radio Cable	95
025-9302	Additional User Manual	50

The Model 1550 SentiMax™ is an industrial autodialer and radio alarm annunciator that can monitor and control up to 72 inputs or outputs. Includes voice prompts, NEMA 4X case, battery, charger, and 120/240V universal power supply.

Part Number	Description	List
901-9385	Model 1550 SentiMax™ Industrial Alarm Processor <i>16 digital I/O, 1 minute voice, 8 analog inputs</i>	3895
950-9517	16 Input or Output Expansion Module (limit 3)	375
950-9520	Extended Voice Option: 1 min increments (limit 3)	160
950-9521	Real-time Clock & Local Printer Interface	375
950-9595	Additional Phone Interface	375
950-9594	Radio Paging Formats: Two-Tone, POCSAG	375
950-9516	Telephone Paging Protocol: TAP/IXO with modem	375
950-0164	Option Firmware Upgrade <i>Required if the radio paging, tap paging or real time clock option was previously purchased.</i>	375
950-9523	Motorola Radius® Radio Cable	95
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
950-0393	M1550 Extended Voice field upgrade option	160
950-9746	Replacement Battery, 12V 12Ah	150
890-0068	Replacement Charger Board	290
950-1057	Replacement Power Supply for Industrial Products	210
025-9305	Additional User Manual	50
950-0852	M1550 Configuration Utility Additional CD Option	85

The Model 18/18+ Control Link connects to radios and provides point-to-point or multi-point monitoring and control between the radios. The Control Link can replace up to 20 leased lines via radio. CE Approved. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9286	Model 18 Control Link, with 8 digital inputs, 8 digital outputs	1130
950-0267	Model 18 Software Upgrade	420
901-9287	Model 18+ Control Link, with 16 digital inputs, 16 digital outputs and 4 analog inputs, 4 analog outputs	1535
950-0268	Model 18+ Software Upgrade	420
950-0269	Model 1804 Software Upgrade (enables serial communication out RS232 port)	420
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
709-7308	Motorola Radius® Cable	90
025-9214	Additional User Manual	50
950-0959	Radio Interface Kit, M18 to Kenwood TK-x180	165

OPTIONAL NEMA CASES (MODEL 18/18+ NOT INCLUDED)

Part Number	Description	List
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply	1690
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply	2235
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply	1525

The Model 25 Programmable Encoder enables dispatchers to send a page or several pages with the press of a single "instant call" button.

Part Number	Description	List
901-9019	Model 25 Programmable Encoder <i>With numeric pad and 29 instant calls, includes Motorola & GE 2-tones, Quick-call I (2+2), CustomCalls, 5/6 tone, DTMF, and 2805/1500 Hz rotary dial formats (950-0742), and computer configuration package (950-9220).</i>	5930

OTHER OPTIONS

Part Number	Description	List
950-9214	120 VAC Power Supply (supplies 12 VDC@3A)	305
950-9220	Computer Configuration Package	115
950-9300	Local/CAD Switch (use with 901-9019 only)	160
025-9567	Model 25 Programmable Encoder Product Manual	50

The Model 250 is a tone remote adapter that includes features typically only found in high-end remote control stations. It provides a means of connecting a base station radio to industry-standard tone remote encoders, such as Zetron's desktop remotes and dispatch consoles. The Model 250 connects to an audio circuit or leased line from the tone remote and to the unique interface of the base station radio. Designed for fast installation and easy setup. The Model 250 includes integrated setup utilities that reduce the need for service equipment. CE Approved.

Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	985
950-0898	Dual Rack Mount Adapter Kit	85
OPTIONS		
Part Number	Description	List
950-0950	Interface kit for Kenwood TKR-x50/51	160
950-0956	Interface kit for Kenwood TK-x180, TK-5x10, and NX-700/800	160
950-1015	M250 Tone Remote PTT iDEN Handset Interface	590
950-1017	Interface Kit for MOTOTRBO mobile radios	155
709-7540	Generic Interface cable with flying leads	75
950-1201	Interface kit for Motorola CDM-1250/CDM-1550 LS+	85
950-0328	Interface kit for Motorola GM 300/R1225	85
950-0329	Interface kit for Kenwood TKR-840 repeater	85
950-0330	Interface kit for Kenwood TK-690/790/890	85
025-9472	M250 Tone Remote Adapter User Manual <i>An electronic copy of M250 user manual is included with all orders</i>	50

Model 251 - DC Remote Base Station Adapter

Price Sheet 001-0273 Rev. D

DC remote control of radio is becoming rare, and few, if any, of the new radio control equipment capable of supporting DC remote control circuits. But there remains a large install base of DC remote radio base station. The Zetron DC Remote Base Station Adapter provides the bridge needed to adapt the new generation equipment to your legacy DC controlled radios, thus allowing you to retain your radio infrastructure investment. Contact Zetron for configuration and pricing information.

Part Number	Description	List
950-0898	Dual Rack Mount Adapter Kit	85
950-0851	M251 DC Remote Base Station Adapter	900
905-0347	M250/251 Tone-to-DC Remote Base Station Adapter <i>Adds DC Control to a Multi-Frequency and/or Remotely connected radio from any Tone Remote console. Includes both M250 and M251 in a dual rack mount shelf, plus all cables and power supplies.</i>	2635

The Model 26 system is a fire station alerting system that provides dispatchers with a fast, reliable means for alerting selected stations and individual vehicles. Additional capabilities include control of vital station functions (doors, sirens, or PA systems), an RS-232 port for Computer-Aided-Dispatch operation, and remote status monitoring of sense inputs. A typical system consists of one or more dispatch units (Model 26s) and one or more station units located in the stations to be alerted. System size can be up to 26 stations. Consult with Zetron for additional information.

The Model 284 is an EIA-compatible tone remote that allows an operator to control up to four base stations or repeaters from a single unit. A built-in paging encoder is available. The unit is programmable from the ZIPR software program. A telephone-style handset with PTT pressbar, a built-in microphone, and built-in speaker are included.

Part Number	Description	List
901-9498	Model 284 Multi-line Tone Remote with Built-In Paging Encoder <i>Includes parallel status indication, function tone muting, InstanTalk circuit, real-time clock, VU meter, LCD with 32 programmable text aliases to identify base frequencies, 2-tone, 5-tone, DTMF, 2805/1500Hz, and alerts. Includes 10 stacks of 10 pagers each, and a 50-pager database with programmable text alias, User Manual and 120/240V Universal Power supply included.</i>	2760
901-9714	Model 284 Multi-line Tone Remote with Built-In Paging Encoder, Kenwood version	2760
OPTIONS		
Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	985
709-7540	Generic Interface cable with flying leads	75
950-0328	Interface kit for Motorola GM 300/R1225	85
950-0329	Interface kit for Kenwood TKR-840 repeater	85
950-0330	Interface kit for Kenwood TK-690/790/890	85
950-9449	Programming Kit. Includes cable, adapter, and ZIPR software	240
950-9102	Footswitch, Single w/ 10' cable	115
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	260*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	300*
950-9674	Headset interface box (disables handset)	165
950-0358	Model 280/284 Tone Remote Headset Adapter	695
950-9437	PTT Handset with Cord	95
905-0330	Desktop Microphone, Shure With 6' cable	630
025-9346	User Manual, additional <i>(Note: PDF images of all manuals can be found on the resellers website.)</i>	50
025-9589	Desktop Microphone Manual	50

The Model 30 Worldpatch is a phone patch that adds interconnect to any base station, control station, or repeater.

Part Number	Description	List
901-9416	Model 30 Worldpatch with APO <i>See * Note 1 Below</i>	605
901-9417	Model 30 Worldpatch with Digital Voice Delay and APO <i>See * Note 1 and ** Note 2 Below</i>	695
901-9540	Model 30 Worldpatch with Selcall, APO, and Digital Voice Delay <i>See * Note 1, ** Note 2, and *** Note 3 Below</i>	1055

OPTIONS

Part Number	Description	List
950-0040	Mounting hardware to fit Motorola Radius GR-series repeaters	115
950-9931	Single Rack Mount Adapter Kit	75
709-7179	Generic Radio Interface Cable (flying leads)	70
950-0025	Interface cable for Motorola Radius SM-, GM-, and M-series mobiles	75
950-0480	Custom DIU interface cable with notch filter circuit for connection to the Motorola DIU (Digital Interface Unit). Allows PSTN interconnect operation in ASTRO Digital mode when connected to Motorola Quantar and MTR2000 ASTRO-capable base stations. Interface cable connects to Motorola DIU box via modular RJ-45 port.	490
950-0481	Custom interface cable for Motorola Quantar and MTR2000 for analog (non-ASTRO) operation. Interface cable connects Model 30 to above base stations via 25-pin MRTI port.	490
950-0026	Interface cable for Motorola Radius® GR1225	85
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
025-9140	Additional User Manual (for 901-9416 and 901-9417)	50
025-9431	Additional User Manual (for 901-9540)	50
950-0951	Radio Interface Kit, M30 to Kenwood TKR-x50/x51	165
950-0957	Radio Interface Kit, M30 to Kenwood TK-x180	165
950-1018	Interface cable kit for MOTOTRBO XPR8400 radio	155
950-1174	Radio Interface Kit, M30 to Motorola XTL5000	160
950-1205	Interface cable kit for MOTOTRBO MTR3000 radio	140

FIELD UPGRADES

Part Number	Description	List
950-9360	Field upgrade to add APO	190
950-9411	Field upgrade to add Digital Voice Delay	240
950-9957	Field upgrade to add Selcall format	360

* Note 1 - APO (Advanced Programming Operation): Provides 50 autodials, four-click PTT autodial, mobile-oriented hook flash via *0, auxiliary output, repeat courtesy tone, security code for direct-channel access, single ringout from connect button, and call-alert beeps. ** Note 2 - Digital Voice Delay: Recommended for simplex base-station and control-station applications and is adjustable. *** Note 3 - Selcall: Provides 100 and 1000 call encoding if two-tone and DTMF. It also provides dial-up remote operations from telephone (*t o Key, # to Unkey).

The Model 3022 Instant Recall Recorder records and stores the last several telephone calls or radio transactions at an operator's position. Memory capacity is doubled by using reduced sample rate with only minor decrease in sound quality. CE Approved.

Part Number	Description	List
901-9270	Model 3022 Instant Recall Recorder (2 unit* widths)(includes 64/128 minutes memory)	2860
MOUNTING OPTIONS		
Part Number	Description	List
901-9256	Series 3000 Rack Adapter (Fits 19" x 5.25" EIA rack space) <i>Mounts 8 units worth of modules and blank module panels</i>	455
901-9264	ALI Display Adapter <i>Mounts 4 units worth of modules and blank module panels.</i>	370
950-9977	Blank Module Panel	30
415-9802	Blank Module Panel 4 unit* widths(5.25"H x 8.5"W)	85
MANUALS		
Part Number	Description	List
025-9221	Additional Model 3022 Installation and Operation Manual	50

* 1 unit = 5.25"H x 2.125"W. The Model 3022 measures 5.25"H x 4.25"W (2 unit widths) and can be mounted in the Series 3000 Rack or Desktop Adapters or directly in place of 2 modules in a Motorola CENTRACOM II® Channel Control Panel.

The Model 3030 PSAP TDD is a Telecommunications Device for the Deaf which allows a calltaker to communicate with a hearing-impaired caller typing messages on a TDD.

Part Number	Description	List
901-9254	Model 3030 PSAP TDD Module (2 unit* widths)	1935
950-9436	Compact PC Keyboard w/ Large AT DIN Connector	150*
950-9299	Model 3030 Handset Interface (Standard phones and Merlin Legend®)	475
950-0068	EIA-574 Adapter (CAD) Cable	55
025-9193	Model 3030 Additional User Manual	50

MOUNTING OPTIONS

Part Number	Description	List
901-9256	Series 3000 Rack Adapter (Fits 19" x 5.25" EIA rack space) <i>Mounts 8 units* worth of modules and blank module panels</i>	455
901-9264	ALI Display Adapter <i>Mounts 4 units* worth of modules and blank module panels. Measures 8.75"W x 5.25"H x 10.5"D</i>	370
950-9977	Blank Module Panel <i>1 unit* width (5.25"H x 2.125"W)</i>	30
415-9802	Blank Module Panel 4 unit* widths(5.25"H x 8.5"W)	85

* 1 unit = 5.25"H x 2.125"W

Model 360 Kenwood-Compatible Radio Remote

Price Sheet 001-0188 Rev. P

The Model 360 Radio Remote allows an operator to control a Kenwood TK-X80 Series and X180 Series radios up to 2000 ft. away. For applications requiring greater separations, a pair of Model 232 Voice/Data Multiplexers may be used over leased or PSTN lines. Up to 25 Model 360 desktop remotes may be paralleled. A telephone-style handset with PTT press-bar, built-in microphone, and speaker are included as standard equipment. May be wall mounted or placed on desktop.

Part Number	Description	List
901-9578	Model 360 Radio Remote	1520
901-9577	Model 360 Radio Interface <i>(Important Note: Supports TK-X180, NX200, and NX800 Radios. Requires installation of KCT-19 cable available from Kenwood)</i>	745
OPTIONS		
Part Number	Description	List
950-1183	Model 360 Radio Interface Firmware for Kenwood TK-X80 radio support. <i>No charge if being sold with new unit.</i>	N/C
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	260*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	300*
950-9674	Headset interface box (disables handset)	165
950-9102	Footswitch, Single w/ 10' cable	115
950-0152	Programming Kit (includes software and programming adapter)	240
815-9033	115 VAC 60 Hz Wall Transformer	40
815-9028	220 VAC 50 Hz Wall Transformer	55*
905-0330	Desktop Microphone, Shure With 6' cable	630
025-9589	Desktop Microphone Manual	50

The Model 37-MAX is a remote-programmable, community repeater panel that provides the maximum number of users, 154 (50 CTCSS, 104 DCS).

Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9486	Model 37-MAX Repeater Pal, 154 users	560
OPTIONS		
Part Number	Description	List
709-7179	Generic Radio Interface Cable (flying leads)	70
950-0024	Interface cable for Motorola Radius® GR1225	85
950-0040	Mounting hardware to fit Motorola Radius GR-series repeaters	115
950-9920	Interface assembly for Motorola MTR2000 station	345
950-9931	Single Rack Mount Adapter Kit	75
025-9376	Additional User Manual	50
950-0953	Radio Interface Kit, M37 MAX to Kenwood TKR-x50/x51	165

The Model 390 TETRA Remote is a desktop remote for the TETRA radio system. The termination panel locally connects up to 15 remotes to a single base station. CE Approved.

Part Number	Description	List
901-9564	Model 390 TETRA Remote	2120
901-9688	M390-P TETRA PEI Radio Interface <i>NOTE: Supports the Motorola MTM800 Enhanced Data Radio and MTM5400 Data Radio. Manual included on disk. Includes MTM800E/MTM5400 Front Panel Radio Interface cable 709-7980. Requires the use of a junction box. See the Installation Options section below for other cable options.</i>	2845
901-9617	M390 Radio Interface for MTM700/800 <i>NOTE: Supports the Motorola MTM700/800 Radios. Printed manual included. Includes MTM700/800 Radio Interface Cable 709-7585.</i>	695

OPTIONS

Part Number	Description	List
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	260*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	300*
950-9674	Headset interface box (disables handset)	165
950-9102	Footswitch, Single w/ 10' cable	115
950-0115	Programming kit, includes cable and ZIPR (Zetron Installation Prog for Remotes) <i>Programming kit is only required if you want to change transmit timeout timer, conversation timer, radio ID, or if you want to disable the secure or intercom features.</i>	165
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	110
815-9033	115 VAC 60 Hz Wall Transformer	40
815-9028	220 VAC 50 Hz Wall Transformer	55*
905-0330	Desktop Microphone, Shure With 6' cable	630

DOCUMENTATION

Part Number	Description	List
025-9589	Desktop Microphone Manual	50
025-9659	M390-P TETRA PEI Radio Remote System Product Manual <i>Note: For 901-9688</i>	50
025-9448	M390 TETRA Radio Interface Manual <i>Note: For 901-9617</i>	50

INSTALLATION OPTIONS

Part Number	Description	List
709-7980	M390-P TETRA PEI Radio Interface to MTM800E or MTM5400 Junction Box Cable	155
709-8019	M390-P TETRA PEI Radio Interface to TMT5400 Data Radio Cable	145

The Model 4010/R is a self-contained, multi-position radio dispatch console that can accommodate up to 12 radio channels and 2 telephone lines. Contact Zetron for a Configuration and Planning Guide. CE Approved.

Part Number	Description	List
901-9269	Model 4010 Radio Dispatch Console (Desktop)	5815
901-9335	Model 4010R Radio Dispatch Console (Rackmount)	5815
802-0092	Power Supply for 4010, 4118 or 4018	95*
950-0962	M4010 Console Programming Software for Windows	230

EXPANSION UNIT

Part Number	Description	List
901-9224	Model 4115B Console Expander (5.25" x 19")	2330

CHANNEL CARDS AND ADAPTERS

Part Number	Description	List
950-9715	Dual Channel Card	1110
950-0255	Tone Remote System Adapter (required for iRIMs)	665
950-9922	Tone Remote System Adapter with Audio Delay	955
950-0820	2970 Hz Tone Remot System Adapter with Audio Delay	880
950-9716	DC Remote Channel Adapter	335
950-9718	Tone Remote LOTL Channel Adapter	195
950-9719	Phone Patch Card	585
950-9720	Dual Phone Card	1170
950-9721	Expanded Aux I/O Card	480
950-9609	Series 4000 Intercom Interface Option	955
901-9630	KA iRIM (Intelligent Radio Interface Module)	3025
901-9637	EA iRIM (Intelligent Radio Interface Module)	3025
950-0589	Single Unit Rack Mount Option	115
950-0588	Dual Unit Rack Mount Option	160
950-1014	iDEN Handset PTT Interface for Local Conventional	230
950-1015	M250 Tone Remote PTT iDEN Handset Interface	590

SOFTWARE OPTIONS - PAGING AND SPEED DIAL

Part Number	Description	List
930-0029	Extended Paging Package	725
930-0030	Instant Call Paging	270
950-9502	Model 4018/4118 Speed Dial Option	370
950-9741	SS1A Console Software Option <i>(replaces Standard operating Software-requires 322-7256 EPROM)</i>	445

ANI OPTIONS

Part Number	Description	List
950-9722	Individual Channel DTMF ANI Decoder with built-in tone remote LOTL	625
950-9709	Individual Channel FSK ANI Decoder (recommended for iRIMs)	665
950-9706	Individual Channel SS1 Decoder	980

ACCESSORIES

Part Number	Description	List
950-9314	Gooseneck Microphone for M4010 / M4018 Desktop Console Position	300

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

ACCESSORIES

950-9484	Gooseneck Microphone (rackmount)	240
905-0386	Desktop Microphone, Shure With Cable to Tails	630
950-9315	PTT Handset w/ Hookswitch Cradle for M4010 / M4018	270
950-9102	Footswitch, Single w/ 10' cable	115
950-9327	Headset Jackbox	195
950-9208	Secondary Headset Jackbox (for all models)	480
950-9439	Telephone/Radio Headset Interface (TRHI) (for all models)	965
709-7350	Dual TRHI Connector Cable	75
950-0360	TRHI PTT Handset & Cradle Option (requires TRHI)	480

HEADSET OPTIONS

Part Number	Description	List
950-0033	Headset 4-Wire, Noise Cancelling	225*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling	300*
950-0454	Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries) <i>Plantronics CA12CD improved belt-mounted PTT pack has secure battery retention and accepts Plantronics H-Series headset tops. Comes with a spare battery.</i>	755*

INSTALLATION OPTIONS

Part Number	Description	List
709-0021	25 pair Cable with Connectors, 10' length	65
950-9351	Connectorized Punch Down Block	80*
950-9199	Connectorized Punch down Block (Protected) [Baseline Product]	810
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
815-9172	Desk Adapter for Phone Rack [Baseline Product]	595
400-0205	5.25" CRT Base	685
400-0403	Turret Base	450
400-0404	10.5" Desk Turret	750
400-0600	5.25" Vertical Extension	525
400-0750	Turret Top Panel	120

SPARES

Part Number	Description	List
951-9094	Controller Spares	480
951-9095	Dual Channel Card Spares	160
951-9060	Console Position Spares Kit (M4018)	1010

MODEL 250 TONE REMOTE ADAPTER [Baseline Products]

Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	985
709-7540	Generic Interface cable with flying leads	75
950-0328	Interface kit for Motorola GM 300/R1225	85
950-0329	Interface kit for Kenwood TKR-840 repeater	85
950-0330	Interface kit for Kenwood TK-690/790/890	85

SYSTEM DOCUMENTATION

Part Number	Description	List
025-9226	Operator's Manual (Additional Copies)	50
025-9227	Installation Manual (Additional Copies)	50
025-9229	Programming Manual (Additional Copies)	50
064-0006	Pre-Shipment Configuration Manual	N/C

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

SYSTEM DOCUMENTATION

025-9589	Desktop Microphone Manual	50
025-9553	TRHI Manual	50
025-9585	Amplified 5W Speaker manual	50
025-9632	Headset Jackbox manual	50
395-0080	Accessory Manuals <i>(CD contains manuals for TRHI, Headset Jackbox, Desktop Microphone and Amplified 5W Speaker)</i>	25

UPGRADES

Part Number	Description	List
950-0184	M4010 Firmware Upgrade	445
950-0885	Model 4010 Paging Firmware Upgrade Option <i>For use when adding 930-0029 and/or 930-0030 paging options to an existing Model 4010 not previously equipped with paging options.</i>	N/C
930-0089	Extended Paging Upgrade Option (J10) (System ID Required)	N/C
930-0090	Instant Call Paging Upgrade Option (J11) (System ID Required)	N/C
950-0711	Kenwood TK-x80 iRIM Firmware Upgrade	445
950-0737	Radio Interface Module EA Firmware Upgrade Option	445

NON-DISCOUNTABLE

Part Number	Description	List
950-0993	M4010/4018/4118 28 pin Battery Replacement (Battery Socket)	95*

EXTENDED LIMITED WARRANTY

Part Number	Description	List
X61-1163	Extended Limited Warranty per year for Years 2 to 5 <i>4% of System List Price</i>	4% of SLP
X61-5163	Extended Limited Warranty for Coverage through Year 5 <i>14% of System List Price</i>	14% of SLP

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Model 45B Z-Patch is a remote-programmable telephone interconnect for multiple user systems. Powered by 12 VDC or wall transformer (optional).

Product includes manuals on CD; printed manuals are available as options.

BASE UNIT

Part Number	Description	List
901-9143	Model 45B Z-Patch (325 user, ANI Validation) <i>Includes Two-Tone, Five-Tone, DTMF, CTCSS paging formats, and Digital Voice Delay.</i>	1910

ACCESSORY OPTIONS

Part Number	Description	List
709-7112	Generic radio interface cable with flying leads (GE®, MASTR® II, Ericsson MASTR III)	75
950-0028	Interface cable for Motorola Radius GR1225	90
950-9919	Motorola MTR2000 cable	345
815-9033	115 VAC 60 Hz Wall Transformer	40
815-9028	220 VAC 50 Hz Wall Transformer	55*
950-9164	Voice Prompts Board	210
950-9204	Rack Extender Brackets <i>Adapts Zetron 1.75" x 19" front mount rack equipment to fit rear or mid-rack rails.</i>	40
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
950-1203	Interface cable kit for MOTOTRBO XPR8400 radio <i>Works with XPR4300, 4350, 4500, 4550, 8300, 8400 radios</i>	340
950-1204	Interface cable kit for MOTOTRBO MTR3000 radio	140

PROGRAMMING AND BILLING OPTIONS

Part Number	Description	List
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
709-9030	RS-232 PC Interface cable, DB-25S	85
025-9092	Additional Model 45B Manual	50

Model 48-MAX Interconnected Repeater Panel

Price Sheet 001-0013 Rev. U

The Model 48-MAX is a shared-customer interconnect and tone panel, available with expanded capacity, enhanced toll restriction and simplified PC programming. Includes voice prompts. CE Approved.

Part Number	Description	List
901-9412	Model 48-MAX Interconnected Repeater Panel - Roamer Version <i>Includes Basic and Selcall feature sets, plus an expanded, 750-user ANI database, wild ANI support, Voice Prompts (up to 9 owner-recorded messages), and SMDR (Station Message Detail Report) billing data for up to 4,000 calls.</i>	2280
OPTIONS		
Part Number	Description	List
709-7112	Generic radio interface cable with flying leads (GE®, MASTR® II, Ericsson MASTR III)	75
950-0028	Interface cable for Motorola Radius GR1225	90
950-9919	Motorola MTR2000 cable	345
950-0214	Motorola Quantar® Radio Interface Cable <i>Requires fitting of Quantar 8-wire wireline control board option available from Motorola for proper operation and configuration.</i>	205
950-9759	600 ohm Audio Kit <i>Not field installable, requires fitting at Zetron factory.</i>	250
950-9752	Relay Kit	125
950-9204	Rack Extender Brackets <i>Adapts Zetron 1.75" x 19" front mount rack equipment to fit rear or mid-rack rails. Recommended for Motorola MICOR®/MOTRAC type racks.</i>	40
950-9906	Programming Kit - PC cable and Z-Term software	90
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
025-9344	Additional User Manual	50
950-1203	Interface cable kit for MOTOTRBO XPR8400 radio <i>Works with XPR4300, 4350, 4500, 4550, 8300, 8400 radios</i>	340
950-1204	Interface cable kit for MOTOTRBO MTR3000 radio	140

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Model 55B Page Buffer is a store-and-forward device for remote analog and digital paging transmitters. The Page Buffer comes standard with 120 seconds of storage time, and is expandable to up to 480 seconds. Digital transmitters will require tone remote control capability, such as the Model 66 Transmitter Controller.

Part Number	Description	List
901-9317	Model 55B Page Buffer	2235
OPTIONS		
Part Number	Description	List
950-9422	120 Second Memory Expansion (Maximum of 3)	305
950-9958	120 VAC 60Hz Wall Transformer	40
950-9905	220 VAC 50Hz Wall Transformer	90
025-9247	Additional User Manual	50

The Model 55D extends paging range when it is connected to a receiver and transmitter tuned to the desired paging channel. Please specify System ID and Morse Code Station ID when ordering. CE Approved.

Part Number	Description	List
901-9370	Model 55D Digital Repeater	2235
OPTIONS		
Part Number	Description	List
950-9678	System ID Option (for S2000 requires 702-9441 Station Card or newer)	40
950-9958	120 VAC 60Hz Wall Transformer	40
950-9905	220 VAC 50Hz Wall Transformer	90
025-9349	Additional User Manual	50

Model 600/620 High Speed Simulcast Paging System

Price Sheet 001-0203 Rev. J

CE APPROVED The Model 600 Wireless Data Manager accepts TNPP input from up to three TNPP links, efficiently batches the pages with timing information from an attached GPS (not included), and delivers the pages across a link to multiple Model 620 Wireless Data Encoders. Powered by 12VDC (external power supply optional). The Model 620 Wireless Data Encoder receives batches of paging data from the Model 600, and encodes the data for POCSAG or FLEX. At the precise time indicated by an attached GPS (not included), the encoded message batch is sent to the transmitter, resulting in synchronous broadcast with other Model 620 controlled transmitters. Powered by 12VDC (external power supply optional). Each Model 600 and Model 620 requires a GPS. The GPS is not included. GPS equipment may be purchased from Zetron (call factory for pricing and availability). The GPS may be shared with other compatible devices. Software interface for Trimble GPS protocol (TSIP) included. Other GPS protocols available (call factory for details).

Part Number	Description	List
901-9608	Model 600 Wireless Data Manager <i>Includes POCSAG and basic 1600 BPS 2-level FLEX (manual included)</i>	3535
901-9609	Model 620 Wireless Data Encoder <i>Includes POCSAG and basic 1600 BPS 2-level FLEX (manual not included)</i>	2820

OPTIONS (MODEL 600 ONLY)

Part Number	Description	List
930-0032	Enhanced FLEX mgmt option factory install w/ initial order req. encoding opt <i>(requires Enhanced FLEX encoding option for Model 620)</i>	1000
950-0437	*Trimble Accutime 2000 GPS Starter Kit (includes 100' cable)	3805
950-0706	*Trimble Thunderbolt GPS Starter Kit (includes 100' cable)	5150

OPTIONS (MODEL 620 ONLY)

Part Number	Description	List
930-0033	Enhanced FLEX encoding opt factory install w/ initial ord. requires encoding opt <i>3200/6400 BPS 4-level FLEX with enhanced features (requires Enhanced FLEX management option for Model 600)</i>	710
950-0276	Generic Transmitter Interface Cable <i>(cables for other transmitters available - call factory for details)</i>	110
950-0436	*Trimble Accutime 2000 GPS <i>(For Each Model 620 Location, Choose One of the Cables Below)</i>	1845
950-0432	*Trimble Accutime Interface Cable 50 ft.	265
950-0433	*Trimble Accutime Interface Cable 100 ft.	375
950-0434	*Trimble Accutime Interface Cable 200 ft.	540
950-0435	*Trimble Accutime Interface Cable 400 ft.	1135
950-0707	*Trimble Thunderbolt GPS	4300
950-0708	*Trimble Thunderbolt Bullett III HE Antenna <i>(requires one Thunderbolt Power Cable for each Bullet Antenna purchased)</i>	215
950-0709	*Trimble Thunderbolt Power Cable Assembly	100

OPTIONS (MODEL 600 OR MODEL 620)

Part Number	Description	List
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	110
950-0279	Extra GPS Site Bus Terminator (included with 901-9608 and 901-9609)	40
025-9480	Extra Model 600/620 Users Manual	50
950-0407	External Maintenance Modem (includes cable)	435
709-0001	PC Interface Cable for Programming (DB9) <i>(other cables available, call factory for details)</i>	70
950-0644	GPS Connector Kit Option	70
950-0645	PC to Service Port Option	80

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

OPTIONS (MODEL 600 OR MODEL 620)

950-0643	RS-232/Trimble Thunderbolt GPS Interface Cable	70
----------	--	----

EXTENDED LIMITED WARRANTY

*Note: Indicated third party equipment is not covered by the limited warranty.

Part Number	Description	List
X61-1243	Extended Limited Warranty per year for Years 2 to 5 <i>4% of System List Price</i>	4% of SLP
X61-5243	Extended Limited Warranty for Coverage through Year 5 <i>14% of System List Price</i>	14% of SLP

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Model 61 Network Access Paging Encoder

Price Sheet 001-0081 Rev. L

The Model 61 receives TNPP data through an RS-232 port and controls a transmitter to encode digital display pages.

Part Number	Description	List
901-9329	Model 61 Network Access Paging Encoder - GOLAY and POCSAG formats	3500
901-9544	Model 61F Network Access Paging Encoder - POCSAG and FLEX formats	3775
OPTIONS		
Part Number	Description	List
950-9958	120 VAC 60Hz Wall Transformer	40
950-9905	220 VAC 50Hz Wall Transformer	90
025-9264	Additional User Manual	50

The Model 64 DAPT-Plus Paging Terminal has up to three phone inputs and can provide transmitter steering for up to four transmitter zones. When ordering, specify the terminal type, telephone interface, and one or more format options. Factory assistance is available to determine equipment configuration, installation, and telephone system connection. Includes voice prompt and modem/RS-232C interface card.

OPTIONS		
Part Number	Description	List
950-0308	Telco Card - Universal Telephone Interface Card (3 max) <i>For local/priority input use this telco card (p/n 950-0308). Provides 48 VDC to power a standard DTMF telephone. Uses one slot in machine.</i>	540
TERMINAL		
Part Number	Description	List
901-9092	Model 64 DAPT-Plus 1000 Call with Advanced Programming	4450
MISCELLANEOUS		
Part Number	Description	List
950-9457	240 Volt operation 50/60Hz	95
025-9083	Additional Operating/Service Manual	50
950-0804	M64 Upgrade to 1000 Call Version	595

The Model 640 DAPT XTRA is a dedicated paging terminal. Includes two telco trunk interfaces equipped with modems for remote alphanumeric message entry and remote programming access.

TERMINAL

Part Number	Description	List
901-9229	Model 640 DAPT XTRA	10280
950-9339	220 VAC main power option (factory installed only)	50

ADDITIONAL INTERFACES AND OPTIONS

Part Number	Description	List
950-0311	Dual Input Card <i>Each input interface can be configured either as a telco port for dial access or as an RS-232 interface for local alphanumeric entry.</i>	2685
950-9469	Dual Serial Card - Adds two serial ports with TAP software	2380
950-9294	Dual Bidirectional TNPP Interface Card	3580

SYSTEM OPTIONS

Part Number	Description	List
950-9334	Installation Interface Assembly <i>Provides easy installation with four RJ-11 telephone plugs and a screw-down terminal strip for transmitter hookup.</i>	235
709-0004	25-Pair Cables, RJ-21, M-F, 10ft [Baseline Product] <i>Not needed when purchasing 950-9334</i>	65
802-0093-1	Punchdown Block, 50 Pin, Connectorized <i>Not needed when purchasing 950-9334</i>	80*
951-9069	Spare Boards Kit for M640 (Includes Peripheral, Main, RAM, ROM)	6855
950-0254	Spare 80W Power Supply	505
802-0023	Spare 48V Internal Power Supply	150*
950-9758	Parallel Printer Port	455
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295

MANUALS

Part Number	Description	List
025-9417	Additional User Manual, Operating and Programming	50
025-9416	Additional User Manual, Installation and Maintenance	50

EXTENDED LIMITED WARRANTY

Part Number	Description	List
X61-1243	Extended Limited Warranty per year for Years 2 to 5 <i>4% of System List Price</i>	4% of SLP
X61-5243	Extended Limited Warranty for Coverage through Year 5 <i>14% of System List Price</i>	14% of SLP

The Model 66 Transmitter Controller provides an interface between a link RF receiver or wireline and a paging transmitter. CE Approved. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9094	Model 66 Transmitter Controller with digital modem (each radio site)	2365
901-9435	Model 66 Link Controller	2365
OPTIONS (901-9094 ONLY)		
Part Number	Description	List
950-9125	Transmitter Address Decoder for Model 66 (each 901-9094)	795
950-9206	Simulcast Delay Module (each 901-9094)	1195
950-0442	Selectable Function Tone Decoder Option	795
OPTIONS (901-9094 OR 901-9435)		
Part Number	Description	List
950-9958	120 VAC 60Hz Wall Transformer	40
950-9905	220 VAC 50Hz Wall Transformer	90
MANUALS		
Part Number	Description	List
025-9078	Additional User Manual (for 901-9094)	50
025-9370	Additional User Manual (for 901-9435)	50

The Model 735 Radio Teleconnect is a radio telephone interconnect for private mobile radio systems. The Model 735 connects to a PABX or PSTN. Powered by 12V AC/DC, 700mA. CE Approved.

Part Number	Description	List
901-9469	Model 735 Radio Teleconnect - Basic	1885
901-9470	Model 735 Radio Teleconnect - Selcall, multi-user	2355

OPTIONS

Part Number	Description	List
950-9012	Digital Voice Delay	240
950-9588	Voice Prompts	205
950-9906	Programming Kit - PC cable and Z-Term software	90
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	295
950-9759	600 ohm Audio Kit	250
950-9752	Relay Kit	125
025-9369	Model 735 Additional User Manual	50
950-0970	Radio Interface Kit, M735 to Kenwood TKR-850	165

The Model 807 is a lower priced single site version of the Model 827 Trunking Controller. The Model 807 supports mobile dispatch service only. The unit cannot be fitted with telephone interconnect, but may be combined with the Model 827 and telephone interconnect option in single site systems requiring limited telephone access. The Model 807 supports a full range of MPT voice and data services for smaller single site systems. The Model 827 Trunking System Controller implements the MPT 1327 standard in a single controller package. Each repeater at the trunked radio site requires a model 827. All controllers are connected by a PCM bus cable (1 meter - included). Configuration software is included with the system. Only one management PC is required for interface to all channels at the site, and may be located on-site or remotely. The Model 844 4-Port Intersite Link is a control unit designed to provide an economical and efficient way to bring Intersite linking capability to your Zetron MPT 1327 trunking system. The Model 427 Peripheral Equipment Interface is a control unit designed to connect up to four MAP27 peripheral devices such as dispatcher consoles (like the Zetron Model 4217) to a Zetron MPT1327 Trunked Radio System. CE Approved

MODEL 807 TRUNKING CONTROLLER

Part Number	Description	List
901-9636	Model 807 Single Site Dispatch Trunking Controller for MPT 1327 <i>Includes controller and starter kit containing assembled 1-meter PCM bus cable, mounting hardware, rear-panel plugs and connectors for user to construct interface and power cables. Note: that kit does not include manual or software include one per system purchase at n/c, order additional copies below.</i>	3375
025-9339	Additional Operation and Instruction Manual <i>* - See Note 1 Below</i>	50

DATABASE MANAGEMENT SOFTWARE

Part Number	Description	List
950-0649	M827 Database Management Software, Windows version, CD ROM <i>Pervasive PSQLv11 Workgroup license not included. Purchase and activation of PSQL is required at the time of installation.</i>	115
	<i>* - See Note 1 Below</i>	

MODEL 827 TRUNKING CONTROLLER

Part Number	Description	List
901-9605	Model 827 Trunking Controller for MPT 1327 (for version 3.xx systems only) <i>Includes controller and starter kit containing assembled 1-meter PCM bus cable, mounting hardware, rear-panel plugs and connectors for user to construct interface and power cables. Note: that kit does not include manual or software include one per system purchase at n/c, order additional copies below.</i>	4625
901-9424	Model 827 Trunking Controller for MPT 1327 (for version 2.xx systems, or earlier)	4625
950-0250	Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for all countries not using European Union telco line/wiring standard.</i>	2125
950-0814	AU Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for Australia customers or if specifically requested, please see line interface cable 950-9794 below.</i>	2125
950-9640	UK Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for European Union customers or if specifically requested, please see line interface cable 950-9794 below.</i>	2125
025-9339	Additional Operation and Instruction Manual <i>* - See Note 1 Below</i>	50
950-0452	Sitewatch Software	55
M08-M827	Multisite Network Firmware Option	465

OPTIONS & ACCESSORIES

Part Number	Description	List
950-9794	4-Wire Telephone Interface Cable	40
950-9789	Generic Repeater Interface Cable	115
950-9925	Motorola MTR2000 Interface Cable	345

OPTIONS & ACCESSORIES

950-9790	Control/Sense Cable (pre-assembled cable for alarm and cross-busy inputs)	115
950-9793	PCM Bus Extended Length (2 meter) Cable	180
950-9791	Power Cable (pre-assembled cable with plug and strain relief)	75
950-9792	Serial Port Cable (pre-assembled serial cable DB-9 to DB-9)	40
951-9085	Spares Parts Kits	190
950-0969	Radio Interface Kit, M827 to Kenwood TKR-x50/x51	165

UPGRADES/UPDATES

Part Number	Description	List
950-0365	Model 827 V3.XX Flash Control Software Upgrade	165
950-0361	Model 827 V3.20+ Control Software	165
M08-M827	Multisite Network Firmware Option <i>Standard in new systems. One per each channel in system. Requires authentication number from customer and turn on code from engineering - can be accomplished remotely via modem.</i>	465

MODEL 844 FOUR-PORT SITE INTERFACE

Part Number	Description	List
905-0163	Model 844 Four-port Site Interface (manual not included)	7255
025-9420	Model 844 User Manual <i>* - See Note 1 Below</i>	50

MODEL 427 PERIPHERAL EQUIPMENT INTERFACE

Part Number	Description	List
905-0164	Model 427 Peripheral Equipment Interface	7255
025-9473	Model 427 Operating Manual <i>* - See Note 1 Below</i>	50

OPTIONS

Part Number	Description	List
950-0135	UK Telco Cable	40
950-0137	Telco Cable (RJ-45)	40
950-9793	PCM Bus Extended Length (2 meter) Cable	180

TECHNICAL TRAINING

Part Number	Description	List
-------------	-------------	------

* - Note 1: Include one at no charge with purchase of complete system, or one each per order at no additional charge.

The Pathway product has been designed to allow connection of up to 4 console systems to a single TIA P25 Digital Fixed Station Interface (DFSI). Essentially acting as a proxy to the DFSI base station, this device is ideal for situations that may require multiple agencies each with their own dispatch system, to access the same DFSI Base Station or for a single agency that may have a backup control centre requiring connection to the same DFSI resource.

NOTE: IP networks must meet the network requirements found on the pathway spec sheet (005-1426).

Pathway Devices		
Part Number	Description	List
905-0454	Pathway Digital Kit	2480

Mounting and Power		
Part Number	Description	List
950-0589	Single Unit Rack Mount Option	115
950-0588	Dual Unit Rack Mount Option	160
950-1245	Power Supply, 100-240VAC input, 12VDC output, 30W <i>Requires a Mains Power Option</i>	70

Mains Power Options		
Part Number	Description	List
416-0012	IEC to Mains (North America) <i>Required for items that need mains power input</i>	10*
416-1592	IEC to Mains (Australia) <i>Required for items that need mains power input</i>	10*
416-0020	IEC to Mains (United Kingdom) <i>Required for items that need mains power input</i>	10*
416-1593	IEC to Mains (Europe) <i>Required for items that need mains power input</i>	10*
416-1594	IEC to Mains (Japan) <i>Required for items that need mains power input</i>	50*

Documentation		
Part Number	Description	List
025-9674	Pathway Product Manual <i>This is for a hard copy of the manual. A software version is provided with the 905-0454 Pathway product.</i>	50

Spares		
Part Number	Description	List
901-9712	Pathway Digital	2465

Zetron Price Book
 * indicates a limited discount item
 ** indicates a non-discountable item
 All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Zetron offers a SCADA system that can handle up to 150 widely dispersed remote equipment sites, comprised of Zetron Remote Terminal Units (RTUs) and Controller which could be integrated with National Instrument's Lookout™ Control Program. Contact Zetron for configuration and pricing information. CE Approved.

SYSTEM CONTROLLERS

Part Number	Description	List
901-9546	Model 1730 System Controller (MODBUS included)	1990
901-9273	Model 1700 System Controller	1625
950-9395	Model 1700 MODBUS Protocol Option	780

REMOTE TERMINAL UNITS

Part Number	Description	List
901-9547	Model 1732 Core Module: 6 Slot (Zetron metal case) 8 DI, 4 DO, 1 RO	1835
901-9548	Model 1732 Core Module: 15 Slot (NEMA backplane) 8 DI, 4 DO, 1 RO	1835
901-9549	Model 1732 Core Module: 30 Slot (NEMA backplane) 8 DI, 4 DO, 1 RO	1990
901-9260	Model 1708 RTU (8 DI, 8DO, 4AI)	1200
950-0777	Model 1708 Software Upgrade	420
950-0333	Model 1708 MODBUS Option	440
901-9261	Model 1716 RTU (16 DI, 16 DO, 8 AI, 4 AO)	1700
950-0778	Model 1716 Software Upgrade	420
950-0334	Model 1716 MODBUS Option	440

INTEGRATED ENCLOSURES (for Model 1700, 1708, 1716; RTU NOT INCLUDED)

Part Number	Description	List
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply	1690
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply	2235
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply	1525

MODEL 1730/1732 COMMUNICATION INTERFACES

Part Number	Description	List
950-9887	Model 1730/1732 Radio Interface Module	470

MODEL 1730/1732 PROCESS INTERFACES

Part Number	Description	List
950-9883	Analog Input Module (11 channels, 12 bit res.)	590
950-9884	Digital I/O Module (16 selectable input/output channels)	435
950-9885	Analog Output Module (4 channels, 4-20mA or 0-5 volts, 8 bit res.)	555
950-9886	Relay Output Module (6 form C, 2A @ 30 VDC or 120 VAC)	390

MODEL 1730/1732 POWER MODULES

Part Number	Description	List
950-9890	120 VAC Power Module	390
950-9891	Battery Charger Module	165
950-9733	12 VDC, 7 AH Gel Cell Battery	85
950-0108	220 VAC Power Module	390

SOFTWARE OPTIONS

Part Number	Description	List
950-0050	Additional 1730/1732 Configuration Utility <i>(To be included at no charge with a system as approved by the appropriate product specialist.)</i>	390

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

ENCLOSURES (FOR MODEL 1730, 1732)

Part Number	Description	List
950-0043	Large NEMA Steel Enclosure	490
950-9993	6 Slot Expansion Z-Box	165
415-0318	Large NEMA Mounting Plate (30 Slot)	190
415-0234	Medium NEMA Mounting Plate (15 Slot)	90

OTHER OPTIONS

Part Number	Description	List
709-0001	PC Interface Cable for Programming (DB9)	70
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	85
709-7308	Motorola Radius® Cable	90
395-0031	SCADA Product Documentation CD <i>Covers Models 1700, 1708, 1716, 1730, 1732. Included with product. PDF versions of all manuals can be downloaded from the reseller website, and are available from Customer Care upon request.</i>	25
025-9445	1730/1732 Configuration Utility Manual	50
025-9406	Model 1730/1732 Users Manual	50
025-9209	Model 1708/1716 Users Manual	50
025-9210	Model 1700 Users Manual	50

SPARES

Part Number	Description	List
950-0141	Model 1732 Spare Core Module	1775
950-0142	Model 1730 Spare Core Module	1835

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Zetron security IP based product line provides Zetron resellers with cameras, video recorders, video management software and analytics, access control and mounting hardware to support installation of camera surveillance and door access systems.

Demonstration Kits		
Part Number	Description	List
905-0472	3 Camera Security Demo Kit, 2 Fixed and 1 PTZ Camera, Access Control	12900
905-0473	4 Camera Security Demo Kit, 4 Fixed Cameras, Access Control	12400

The Series 3000 Monitor Speaker Module is a 1-watt, amplified speaker that is ideal for monitoring auxiliary receivers. The front panel contains a volume control and a VOX activity indicator. The unit has a balanced, high impedance input and an external muting input. Ideal for use as a receiver monitor speaker in a radio console application. Operates from 12 to 15 VDC. Product Group 3

Part Number	Description	List
950-9430	Series 3000 Monitor Speaker Module (1 unit width)	370
MOUNTING OPTIONS		
Part Number	Description	List
901-9256	Series 3000 Rack Adapter (Fits 19" x 5.25" EIA rack space) <i>Mounts 8 units worth of modules and blank module panels</i>	455
901-9264	ALI Display Adapter <i>Mounts 4 units worth of modules and blank module panels</i>	370
950-9977	Blank Module Panel <i>Each blank module panel measures 5.25"H x 2.125"W (1 unit)</i>	30
415-9802	Blank Module Panel 4 unit* widths(5.25"H x 8.5"W) <i>Each blank module panel measures 5.25"H x 8.5"W (4 units)</i>	85

Note: The Series 3000 Speaker Module is 1 unit wide * and can be mounted in the Series 3000 Rack or Desktop Adapters, or directly in place of one module in a Motorola CENTRACOM II® Channel Control Panel. See the Series 3000 Mounting Options above. * Speaker Module measures 5.25"H x 2.125"W (1 unit). CENTRACOM II® is a registered trademark of Motorola, Inc.

Product Category: Series 3300/3200

Series 3300/3200 - IP E9-1-1 Telephone System

Price Sheet 001-0265 Rev. AA

The Series 3300 VoIP E9-1-1 Call-Taking System provides Public Safety Answering Points (PSAPs) with a complete turn-key, E9-1-1 emergency call solution which leverages Internet Protocol (IP) to deliver calls to remote operator positions and alternate PSAPs over IP networks. CTI operator positions require a rackmount or desktop phone in addition to the Windows-based workstation.

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: Series 4000

Series 4000 Communications Control Systems

Price Sheet 001-0055 Rev. BZ

The Series 4000 is a central controller-based dispatch communications console that provides an effective means of controlling up to 48 radio channels from 1 to 16 operating positions. Designed to meet the needs of public safety, medical dispatch, utility, and industrial users alike, the Series 4000's modular construction and field programmability offer exceptional application flexibility. CE Approved.

A system consists of one or more operator positions plus a CCE (common control equipment) rack. Racks sold separately. Operator positions can be PC-based (IntegratorRD), button/LED-based (rack mount), or a combination of both.

For larger applications, contact Zetron Sales for more information.

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



ZETRON AMERICAS
PO Box 97004, Redmond, WA USA 98073-9704
(P) 1 425 820 6363 (F) 1 425 820 7031 (E) zetron@zetron.com

ZETRON EMEA
27-29 Campbell Court, Bramley, Hampshire RG26 5EG, United Kingdom
(P) +44 1256 880663 (F) +44 1256 880491 (E) uk@zetron.com

ZETRON AUSTRALASIA
PO Box 3045, Stafford Mail Centre, Stafford QLD 4053, Australia
(P) +61 7 3856 4888 (F) +61 7 3356 6877 (E) au@zetron.com

www.zetron.com

Zetron products may be restricted from sale in some countries due to intellectual property rights asserted by others. Not all products are offered for sale or available for purchase in all markets. For detailed specification sheets on the products listed in this price book, call, fax, write or visit our website at www.zetron.com. All pricing expressed in U.S. Dollar Currency. Specifications and prices are subject to change without notice.

Zetron Price Book

* indicates a limited discount item

** indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.